

---

# **OpenStack-Ansible Documentation:**

## **os\_aodh role**

*Release 18.1.0.dev224*

**OpenStack-Ansible Contributors**

**Feb 19, 2025**



# CONTENTS

- 1 Configuring the Aodh service (optional) . . . . . 1**
  - 1.1 Configuring the hosts . . . . . 1
- 2 Default variables . . . . . 3**
- 3 Example playbook . . . . . 11**
- 4 Dependencies . . . . . 13**
- 5 Tags . . . . . 15**



## CONFIGURING THE AODH SERVICE (OPTIONAL)

The Telemetry alarming services perform the following functions:

- Creates an API endpoint for controlling alarms.
- Allows you to set alarms based on threshold evaluation for a collection of samples.

### 1.1 Configuring the hosts

Configure Aodh by specifying the `metering-alarm_hosts` directive in the `/etc/openstack_deploy/conf.d/aodh.yml` file. The following shows the example included in the `etc/openstack_deploy/conf.d/aodh.yml.example` file:

```
# The infra nodes that the Aodh services run on.
metering-alarm_hosts:
  infra1:
    ip: 172.20.236.111
  infra2:
    ip: 172.20.236.112
  infra3:
    ip: 172.20.236.113
```

The `metering-alarm_hosts` provides several services:

- An API server (`aodh-api`): Runs on one or more central management servers to provide access to the alarm information in the data store.
- An alarm evaluator (`aodh-evaluator`): Runs on one or more central management servers to determine alarm fire due to the associated statistic trend crossing a threshold over a sliding time window.
- A notification listener (`aodh-listener`): Runs on a central management server and fire alarms based on defined rules against event captured by ceilometers modules notification agents.
- An alarm notifier (`aodh-notifier`). Runs on one or more central management servers to allow the setting of alarms to base on the threshold evaluation for a collection of samples.

These services communicate by using the OpenStack messaging bus. Only the API server has access to the data store.

To install `aodh` on an existing OpenStack-Ansible environment, run the `os-aodh-install.yml` playbook.

To clone or view the source code for this repository, visit the role repository for [os\\_aodh](#).



## DEFAULT VARIABLES

```
## Verbosity Options
debug: false

# Set the host which will execute the shade modules
# for the service setup. The host must already have
# clouds.yaml properly configured.
aodh_service_setup_host: "{{ openstack_service_setup_host | default('localhost
↪') }}"
aodh_service_setup_host_python_interpreter: >-
  {{
    openstack_service_setup_host_python_interpreter | default(
      (aodh_service_setup_host == 'localhost') | ternary(ansible_playbook_
↪python, ansible_facts['python']['executable']))
  }}

# Set the package install state for distribution packages
# Options are 'present' and 'latest'
aodh_package_state: "{{ package_state | default('latest') }}"

# Set installation method.
aodh_install_method: "{{ service_install_method | default('source') }}"
aodh_venv_python_executable: "{{ openstack_venv_python_executable | default(
↪'python3') }}"

## The git source/branch
aodh_git_repo: https://opendev.org/openstack/aodh
aodh_git_install_branch: master
aodh_upper_constraints_url: >-
  {{ requirements_git_url | default('https://releases.openstack.org/
↪constraints/upper/' ~ requirements_git_install_branch | default('master')) }}
↪}
aodh_git_constraints:
  - "--constraint {{ aodh_upper_constraints_url }}"

aodh_pip_install_args: "{{ pip_install_options | default('') }}"

# Name of the virtual env to deploy into
aodh_venv_tag: "{{ venv_tag | default('untagged') }}"
```

(continues on next page)

(continued from previous page)

```

aodh_bin: "{{ _aodh_bin }}"

## System info
aodh_system_user_name: aodh
aodh_system_group_name: aodh
aodh_system_shell: /bin/false
aodh_system_comment: aodh system user
aodh_system_user_home: "/var/lib/{{ aodh_system_user_name }}"

## Database info
aodh_db_setup_host: "{{ openstack_db_setup_host | default('localhost') }}"
aodh_db_setup_python_interpreter: >-
  {{
    openstack_db_setup_python_interpreter | default(
      (aodh_db_setup_host == 'localhost') | ternary(ansible_playbook_python,
->ansible_facts['python']['executable'])
    )
  }}
aodh_db_address: "{{ galera_address | default('127.0.0.1') }}"
aodh_database_name: aodh
aodh_database_user: aodh
aodh_db_type: "mysql+pymysql"
aodh_galera_use_ssl: "{{ galera_use_ssl | default(False) }}"
aodh_galera_ssl_ca_cert: "{{ galera_ssl_ca_cert | default('') }}"
aodh_connection_string: >-
  {{ aodh_db_type }}://{{ aodh_database_user }}:{{ aodh_container_db_password_
->}}@{{ aodh_db_address }}:{{ aodh_galera_port }}/{{ aodh_database_name
  }}?charset=utf8{% if aodh_galera_use_ssl | bool %}&ssl_verify_cert=true{%
  if aodh_galera_ssl_ca_cert | length > 0 %}&ssl_ca={{ aodh_galera_ssl_ca_
->cert }}{% endif %}{% endif %}
aodh_galera_port: "{{ galera_port | default('3306') }}"
aodh_db_max_overflow: "{{ openstack_db_max_overflow | default('50') }}"
aodh_db_max_pool_size: "{{ openstack_db_max_pool_size | default('5') }}"
aodh_db_pool_timeout: "{{ openstack_db_pool_timeout | default('30') }}"
aodh_db_connection_recycle_time: "{{ openstack_db_connection_recycle_time |
->default('600') }}"

# Oslo Messaging
# RPC
aodh_oslomsg_rpc_host_group: "{{ oslomsg_rpc_host_group | default('rabbitmq_
->all') }}"
aodh_oslomsg_rpc_setup_host: "{{ (aodh_oslomsg_rpc_host_group in groups) |
->ternary(groups[aodh_oslomsg_rpc_host_group][0], 'localhost') }}"
aodh_oslomsg_rpc_transport: "{{ oslomsg_rpc_transport | default('rabbit') }}"
aodh_oslomsg_rpc_servers: "{{ oslomsg_rpc_servers | default('127.0.0.1') }}"
aodh_oslomsg_rpc_port: "{{ oslomsg_rpc_port | default('5672') }}"
aodh_oslomsg_rpc_use_ssl: "{{ oslomsg_rpc_use_ssl | default(False) }}"
aodh_oslomsg_rpc_userid: aodh
aodh_oslomsg_rpc_policies: []
# vhost name depends on value of oslomsg_rabbit_quorum_queues. In case quorum_

```

(continues on next page)

(continued from previous page)

```

↪queues
# are not used - vhost name will be prefixed with leading `\.
aodh_oslmsg_rpc_vhost:
  - name: /aodh
    state: "{{ aodh_oslmsg_rabbit_quorum_queues | ternary('absent', 'present
↪') }}"
  - name: aodh
    state: "{{ aodh_oslmsg_rabbit_quorum_queues | ternary('present', 'absent
↪') }}"
aodh_oslmsg_rpc_ssl_version: "{{ oslmsg_rpc_ssl_version | default('TLSv1_2
↪') }}"
aodh_oslmsg_rpc_ssl_ca_file: "{{ oslmsg_rpc_ssl_ca_file | default('') }}"

# Notify
aodh_oslmsg_notify_configure: "{{ oslmsg_notify_configure | default(True) }}"
↪"
aodh_oslmsg_notify_host_group: "{{ oslmsg_notify_host_group | default(
↪'rabbitmq_all') }}"
aodh_oslmsg_notify_setup_host: "{{ (aodh_oslmsg_notify_host_group in
↪groups) | ternary(groups[aodh_oslmsg_notify_host_group][0], 'localhost') }}"
↪"
aodh_oslmsg_notify_transport: "{{ oslmsg_notify_transport | default('rabbit
↪') }}"
aodh_oslmsg_notify_servers: "{{ oslmsg_notify_servers | default('127.0.0.1
↪') }}"
aodh_oslmsg_notify_port: "{{ oslmsg_notify_port | default('5672') }}"
aodh_oslmsg_notify_use_ssl: "{{ oslmsg_notify_use_ssl | default(False) }}"
aodh_oslmsg_notify_userid: "{{ aodh_oslmsg_rpc_userid }}"
aodh_oslmsg_notify_password: "{{ aodh_oslmsg_rpc_password }}"
aodh_oslmsg_notify_vhost: "{{ aodh_oslmsg_rpc_vhost }}"
aodh_oslmsg_notify_ssl_version: "{{ oslmsg_notify_ssl_version | default(
↪'TLSv1_2') }}"
aodh_oslmsg_notify_ssl_ca_file: "{{ oslmsg_notify_ssl_ca_file | default('')
↪ }}"
aodh_oslmsg_notify_policies: []

## RabbitMQ integration
aodh_oslmsg_rabbit_quorum_queues: "{{ oslmsg_rabbit_quorum_queues |
↪default(True) }}"
aodh_oslmsg_rabbit_stream_fanout: "{{ oslmsg_rabbit_stream_fanout |
↪default(aodh_oslmsg_rabbit_quorum_queues) }}"
aodh_oslmsg_rabbit_transient_quorum_queues: "{{ oslmsg_rabbit_transient_
↪quorum_queues | default(aodh_oslmsg_rabbit_stream_fanout) }}"
aodh_oslmsg_rabbit_qos_prefetch_count: "{{ oslmsg_rabbit_qos_prefetch_count
↪| default(aodh_oslmsg_rabbit_stream_fanout | ternary(10, 0)) }}"
aodh_oslmsg_rabbit_queue_manager: "{{ oslmsg_rabbit_queue_manager |
↪default(aodh_oslmsg_rabbit_quorum_queues) }}"
aodh_oslmsg_rabbit_quorum_delivery_limit: "{{ oslmsg_rabbit_quorum_delivery_
↪limit | default(0) }}"

```

(continues on next page)

(continued from previous page)

```

aodh_oslomsg_rabbit_quorum_max_memory_bytes: "{{ oslomsg_rabbit_quorum_max_
↪memory_bytes | default(0) }}"

## uWSGI setup
aodh_wsgi_threads: 1
aodh_wsgi_processes_max: 16
aodh_wsgi_processes: >-
  {{ [(ansible_facts['processor_vcpus'] // ansible_facts['processor_threads_
↪per_core']) | default(1), 1] | max * 2, aodh_wsgi_processes_max] | min }}
aodh_uwsgi_tls:
  crt: "{{ aodh_ssl_cert }}"
  key: "{{ aodh_ssl_key }}"

# Aodh services info
aodh_service_role_names:
  - admin
  - service
aodh_service_token_roles:
  - service
aodh_service_token_roles_required: "{{ openstack_service_token_roles_required_
↪| default(True) }}"

## Service Type and Data
aodh_service_region: "{{ service_region | default('RegionOne') }}"
aodh_service_endpoint_type: internalURL
aodh_service_name: aodh
aodh_service_bind_address: "{{ openstack_service_bind_address | default('0.0.
↪0.0') }}"
aodh_service_port: 8042
aodh_service_proto: http
aodh_service_publicuri_proto: "{{ openstack_service_publicuri_proto |
↪default(aodh_service_proto) }}"
aodh_service_adminuri_proto: "{{ openstack_service_adminuri_proto |
↪default(aodh_service_proto) }}"
aodh_service_internaluri_proto: "{{ openstack_service_internaluri_proto |
↪default(aodh_service_proto) }}"
aodh_service_type: alarming
aodh_service_description: "Telemetry"
aodh_service_project_domain_id: default
aodh_service_user_domain_id: default
aodh_service_user_name: aodh
aodh_keystone_auth_plugin: "{{ aodh_keystone_auth_type }}"
aodh_keystone_auth_type: password
aodh_service_tenant_name: service
aodh_service_project_name: service
aodh_service_publicuri: "{{ aodh_service_publicuri_proto }}://{{ external_lb_
↪vip_address }}:{{ aodh_service_port }}"
aodh_service_publicurl: "{{ aodh_service_publicuri }}"
aodh_service_internaluri: "{{ aodh_service_internaluri_proto }}://{{ internal_

```

(continues on next page)

(continued from previous page)

```

↪lb_vip_address }}:{{ aodh_service_port }}"
aodh_service_internalurl: "{{ aodh_service_internaluri }}"
aodh_service_adminuri: "{{ aodh_service_adminuri_proto }}://{{ internal_lb_
↪vip_address }}:{{ aodh_service_port }}"
aodh_service_adminurl: "{{ aodh_service_adminuri }}"

aodh_service_in_ldap: "{{ service_ldap_backend_enabled | default(False) }}"

# Common pip packages
aodh_pip_packages:
  - "git+{{ aodh_git_repo }}@{{ aodh_git_install_branch }}#egg=aodh"
  - aodh
  - ceilometermiddleware
  - cryptography
  - gnocchiclient
  - osprofiler
  - PyMySQL
  - pymemcache
  - python-memcached
  - sqlalchemy
  - sqlalchemy-utils
  - systemd-python
  - warlock
aodh_user_pip_packages: []

aodh_memcached_servers: "{{ memcached_servers }}"

aodh_alarm_notifier_init_overrides: {}
aodh_alarm_evaluator_init_overrides: {}
aodh_api_init_overrides: {}
aodh_listener_init_overrides: {}

## Service Name-Group Mapping
aodh_services:
  aodh-api:
    group: aodh_api
    service_name: aodh-api
    init_config_overrides: "{{ aodh_api_init_overrides }}"
    wsgi_app: true
    wsgi_name: aodh-api
    uwsgi_overrides: "{{ aodh_uwsgi_conf_overrides }}"
    uwsgi_port: "{{ aodh_service_port }}"
    uwsgi_bind_address: "{{ aodh_service_bind_address }}"
    uwsgi_tls: "{{ aodh_backend_ssl | ternary(aodh_uwsgi_tls, {}) }}"
  aodh-notifier:
    group: aodh_alarm_notifier
    service_name: aodh-notifier
    execstarts: "{{ aodh_bin }}/aodh-notifier"
    init_config_overrides: "{{ aodh_alarm_notifier_init_overrides }}"

```

(continues on next page)

(continued from previous page)

```

aodh-evaluator:
  group: aodh_alarm_evaluator
  service_name: aodh-evaluator
  execstarts: "{{ aodh_bin }}/aodh-evaluator"
  init_config_overrides: "{{ aodh_alarm_evaluator_init_overrides }}"
aodh-listener:
  group: aodh_listener
  service_name: aodh-listener
  execstarts: "{{ aodh_bin }}/aodh-listener"
  init_config_overrides: "{{ aodh_listener_init_overrides }}"

aodh_required_secrets:
- memcached_encryption_key
- aodh_container_db_password
- aodh_oslmsg_rpc_password
- aodh_oslmsg_notify_password
- aodh_service_password

install_test_packages: false

## Tunable overrides
aodh_policy_overrides: {}
aodh_aodh_conf_overrides: {}
aodh_api_paste_ini_overrides: {}
aodh_uwsgi_conf_overrides: {}

###
### Backend TLS
###

# Define if communication between haproxy and service backends should be
# encrypted with TLS.
aodh_backend_ssl: "{{ openstack_service_backend_ssl | default(False) }}"

# Storage location for SSL certificate authority
aodh_pki_dir: "{{ openstack_pki_dir | default('/etc/openstack_deploy/pki') }}"

# Delegated host for operating the certificate authority
aodh_pki_setup_host: "{{ openstack_pki_setup_host | default('localhost') }}"

# aodh server certificate
aodh_pki_keys_path: "{{ aodh_pki_dir ~ '/certs/private/' }}"
aodh_pki_certs_path: "{{ aodh_pki_dir ~ '/certs/certs/' }}"
aodh_pki_intermediate_cert_name: "{{ openstack_pki_service_intermediate_cert_
↪name | default('ExampleCorpIntermediate') }}"
aodh_pki_regen_cert: ""
aodh_pki_san: "{{ openstack_pki_san | default('DNS:' ~ ansible_facts['hostname
↪'] ~ ',IP:' ~ management_address) }}"
aodh_pki_certificates:

```

(continues on next page)

(continued from previous page)

```
- name: "aodh-{{ ansible_facts['hostname'] }}"
  provider: ownca
  cn: "{{ ansible_facts['hostname'] }}"
  san: "{{ aodh_pki_san }}"
  signed_by: "{{ aodh_pki_intermediate_cert_name }}"

# aodh destination files for SSL certificates
aodh_ssl_cert: /etc/aodh/aodh.pem
aodh_ssl_key: /etc/aodh/aodh.key

# Installation details for SSL certificates
aodh_pki_install_certificates:
  - src: "{{ aodh_user_ssl_cert | default(aodh_pki_certs_path ~ 'aodh_' ~
↪ansible_facts['hostname'] ~ '-chain.crt') }}"
    dest: "{{ aodh_ssl_cert }}"
    owner: "{{ aodh_system_user_name }}"
    group: "{{ aodh_system_user_name }}"
    mode: "0644"
  - src: "{{ aodh_user_ssl_key | default(aodh_pki_keys_path ~ 'aodh_' ~
↪ansible_facts['hostname'] ~ '.key.pem') }}"
    dest: "{{ aodh_ssl_key }}"
    owner: "{{ aodh_system_user_name }}"
    group: "{{ aodh_system_user_name }}"
    mode: "0600"

# Define user-provided SSL certificates
# aodh_user_ssl_cert: <path to cert on ansible deployment host>
# aodh_user_ssl_key: <path to cert on ansible deployment host>
```



## EXAMPLE PLAYBOOK

```
---
- name: Install aodh services
  hosts: aodh_all
  user: root
  roles:
    - role: "os_aodh"
  vars:
    # Needed for aodh to talk to MongoDB
    aodh_container_db_password: "secrete"
    # Password used for Keystone aodh service user
    aodh_service_password: "secrete"
    # Needed for aodh to talk to memcached
    memcached_servers: 127.0.0.1
    memcached_encryption_key: "some_key"
    # Needed for aodh to locate and connect to Oslo.Messaging
    aodh_oslmsg_rpc_password: "secrete"
    # Needed to setup the aodh service in Keystone
    keystone_admin_user_name: admin
    keystone_admin_tenant_name: admin
    keystone_auth_admin_password: "SuperSecretePassword"
    keystone_service_adminuri_insecure: false
    keystone_service_internaluri_insecure: false
    keystone_service_internaluri: "http://1.2.3.4:5000"
    keystone_service_internalurl: "{{ keystone_service_internaluri }}/v3"
    keystone_service_adminuri: "http://5.6.7.8:5000"
    keystone_service_adminurl: "{{ keystone_service_adminuri }}/v3"
    galera_root_user: root
  vars_prompt:
    - name: "galera_root_password"
      prompt: "What is galera_root_password?"
```



## DEPENDENCIES

This role needs pip  $\geq 7.1$  installed on the target host.

To use this role, define the following variables:

```
# Needed for aodh to talk to MongoDB
aodh_container_db_password: "secrete"
# Password used for Keystone aodh service user
aodh_service_password: "secrete"
# Needed for aodh to talk to memcached
memcached_servers: 127.0.0.1
memcached_encryption_key: "some_key"
# Needed for aodh to locate and connect to Oslo.Messaging
aodh_oslomsg_rpc_transport: rabbit
aodh_oslomsg_rpc_password: "secrete"
aodh_oslomsg_rpc_servers: "10.100.100.2"
aodh_oslomsg_rpc_use_ssl: true
aodh_oslomsg_rpc_port: 5671
aodh_oslomsg_notify_transport: rabbit
aodh_oslomsg_notify_password: "secrete"
aodh_oslomsg_notify_servers: "10.100.100.2"
aodh_oslomsg_notify_use_ssl: true
aodh_oslomsg_notify_port: 5671
# Needed to setup the aodh service in Keystone
keystone_admin_user_name: admin
keystone_admin_tenant_name: admin
keystone_auth_admin_password: "SuperSecretePassword"
keystone_service_adminuri_insecure: false
keystone_service_internaluri_insecure: false
keystone_service_internaluri: "http://1.2.3.4:5000"
keystone_service_internalurl: "{{ keystone_service_internaluri }}/v3"
keystone_service_adminuri: "http://5.6.7.8:5000"
keystone_service_adminurl: "{{ keystone_service_adminuri }}/v3"
```



---

**CHAPTER  
FIVE**

---

**TAGS**

This role supports two tags: `aodh-install` and `aodh-config`. The `aodh-install` tag can be used to install and upgrade. The `aodh-config` tag can be used to maintain the configuration of the service.