
osc-placement Documentation

Release 2.1.1.dev5

OpenStack Foundation

Feb 14, 2025

CONTENTS

1	Contents	3
1.1	Installation	3
1.2	Contributing	3
1.3	Command Line Reference	3
1.4	User Documentation	18
	Index	23

OpenStackClient plugin for the Placement service

This is an OpenStackClient plugin, that provides CLI for the Placement service. Python API binding is not implemented - Placement API consumers are encouraged to use the REST API directly, CLI is provided only for convenience of users.

- Free software: Apache license
- Documentation: <https://docs.openstack.org/osc-placement/latest/index.html>
- Source: <https://opendev.org/openstack/osc-placement>
- Bugs: <https://storyboard.openstack.org/#!/project/openstack/osc-placement>
- Release notes: <https://docs.openstack.org/releasenotes/osc-placement/>

CONTENTS

1.1 Installation

At the command line:

```
$ pip install osc-placement
```

Or, if you have virtualenvwrapper installed:

```
$ mkvirtualenv osc-placement  
$ pip install osc-placement
```

1.2 Contributing

If you would like to contribute to the development of OpenStack, you must follow the steps in this page:

<http://docs.openstack.org/infra/manual/developers.html>

If you already have a good understanding of how the system works and your OpenStack accounts are set up, you can skip to the development workflow section of this documentation to learn how changes to OpenStack should be submitted for review via the Gerrit tool:

<http://docs.openstack.org/infra/manual/developers.html#development-workflow>

Pull requests submitted through GitHub will be ignored.

Bugs should be filed on StoryBoard, not GitHub:

<https://storyboard.openstack.org/#!/project/openstack/osc-placement>

1.3 Command Line Reference

1.3.1 allocation candidate list

List allocation candidates.

Returns a representation of a collection of allocation requests and resource provider summaries. Each allocation request has information to issue an `openstack resource provider allocation set` request to claim resources against a related set of resource providers.

As several allocation requests are available its necessary to select one. To make a decision, resource provider summaries are provided with the inventory/capacity information.

For example:

```
$ export OS_PLACEMENT_API_VERSION=1.10
$ openstack allocation candidate list --resource VCPU=1
```

#	allocation	resource provider	inventory used/capacity
1	VCPU=1	66bcaca9-9263-45b1-a569 -ea708ff7a968	VCPU=0/128

In this case, the user is looking for resource providers that can have capacity to allocate 1 VCPU resource class. There is one resource provider that can serve that allocation request and that resource providers current VCPU inventory used is 0 and available capacity is 128.

This command requires at least `--os-placement-api-version 1.10`.

```
openstack allocation candidate list
  [--sort-column SORT_COLUMN]
  [--resource <resource_class>=<value>]
  [--limit <limit>]
  [--required <required>]
  [--forbidden <forbidden>]
  [--aggregate-uuid <aggregate_uuid>]
```

--sort-column SORT_COLUMN

specify the column(s) to sort the data (columns specified first have a priority, non-existing columns are ignored), can be repeated

--resource <resource_class>=<value>

String indicating an amount of resource of a specified class that providers in each allocation request must collectively have the capacity and availability to serve. Can be specified multiple times per resource class. For example: `--resource VCPU=4 --resource DISK_GB=64 --resource MEMORY_MB=2048`

--limit <limit>

A positive integer to limit the maximum number of allocation candidates. This option requires at least `--os-placement-api-version 1.16`.

--required <required>

A required trait. May be repeated. Allocation candidates must collectively contain all of the required traits. This option requires at least `--os-placement-api-version 1.17`.

--forbidden <forbidden>

A forbidden trait. May be repeated. Returned allocation candidates must not contain any of the specified traits. This option requires at least `--os-placement-api-version 1.22`.

--aggregate-uuid <aggregate_uuid>

UUID of the resource provider aggregate of which the returned allocation candidates are a member. The returned allocation candidates must be associated with at least one of the aggregates identified by uuid. May be repeated.

This param requires at least `--os-placement-api-version 1.21`.

This command is provided by the osc-placement plugin.

1.3.2 resource class create

Create a new resource class.

This command requires at least `--os-placement-api-version 1.2`.

```
openstack resource class create <name>
```

name

Name of the resource class

This command is provided by the osc-placement plugin.

1.3.3 resource class delete

Delete the resource class identified by `<name>`.

Only custom resource classes can be deleted.

This command requires at least `--os-placement-api-version 1.2`.

```
openstack resource class delete <name>
```

name

Name of the resource class

This command is provided by the osc-placement plugin.

1.3.4 resource class list

Return a list of all resource classes.

This command requires at least `--os-placement-api-version 1.2`.

```
openstack resource class list [--sort-column SORT_COLUMN]
```

--sort-column SORT_COLUMN

specify the column(s) to sort the data (columns specified first have a priority, non-existing columns are ignored), can be repeated

This command is provided by the osc-placement plugin.

1.3.5 resource class set

Create or validate the existence of single resource class.

Unlike `openstack resource class create`, this command also succeeds if the resource class already exists, which makes this an idempotent check or create command.

This command requires at least `--os-placement-api-version 1.7`.

```
openstack resource class set <name>
```

name

Name of the resource class

This command is provided by the osc-placement plugin.

1.3.6 resource class show

Return a representation of the resource class identified by <name>.

This command requires at least `--os-placement-api-version 1.2`.

```
openstack resource class show <name>
```

name

Name of the resource class

This command is provided by the osc-placement plugin.

1.3.7 resource provider aggregate list

List resource provider aggregates.

This command requires at least `--os-placement-api-version 1.1`.

```
openstack resource provider aggregate list
  [--sort-column SORT_COLUMN]
  <uuid>
```

--sort-column SORT_COLUMN

specify the column(s) to sort the data (columns specified first have a priority, non-existing columns are ignored), can be repeated

uuid

UUID of the resource provider

This command is provided by the osc-placement plugin.

1.3.8 resource provider aggregate set

Associate a list of aggregates with the resource provider.

Each request cleans up previously associated resource provider aggregates entirely and sets the new ones. Passing empty aggregate UUID list will remove all associations with aggregates for the particular resource provider.

This command requires at least `--os-placement-api-version 1.1`.

```
openstack resource provider aggregate set
  [--sort-column SORT_COLUMN]
  [--aggregate <aggregate_uuid>]
  [--generation <resource_provider_generation>]
  <uuid>
```

--sort-column SORT_COLUMN

specify the column(s) to sort the data (columns specified first have a priority, non-existing columns are ignored), can be repeated

--aggregate <aggregate_uuid>

UUID of the aggregate. Specify multiple times to associate a resource provider with multiple aggregates.

--generation <resource_provider_generation>

The generation of resource provider. Must match the server-side generation of the resource provider or the operation will fail.

This param requires at least `--os-placement-api-version 1.19`.

uuid

UUID of the resource provider

This command is provided by the osc-placement plugin.

1.3.9 resource provider allocation delete

Delete all resource allocations for a given consumer.

```
openstack resource provider allocation delete <uuid>
```

uuid

UUID of the consumer

This command is provided by the osc-placement plugin.

1.3.10 resource provider allocation set

Replaces the set of resource allocation(s) for a given consumer.

Note that this is a full replacement of the existing allocations. If you want to retain the existing allocations and add a new resource class allocation, you must specify all resource class allocations, old and new.

From `--os-placement-api-version 1.8` it is required to specify `--project-id` and `--user-id` to set allocations. It is highly recommended to provide a `--project-id` and `--user-id` when setting allocations for accounting and data consistency reasons.

Starting with `--os-placement-api-version 1.12` the API response contains the `project_id` and `user_id` of allocations which also appears in the CLI output.

Starting with `--os-placement-api-version 1.28` a consumer generation is used which facilitates safe concurrent modification of an allocation.

```
openstack resource provider allocation set
  [--sort-column SORT_COLUMN]
  [--allocation <rp=resource-provider-id,resource-class-name=amount-of-
  ↪resource-used>]
  [--project-id project_id]
  [--user-id user_id]
  <uuid>
```

--sort-column SORT_COLUMN

specify the column(s) to sort the data (columns specified first have a priority, non-existing columns are ignored), can be repeated

--allocation <rp=resource-provider-id,resource-class-name=amount-of-resource-used>
Create (or update) an allocation of a resource class. Specify option multiple times to set multiple allocations.

--project-id project_id
ID of the consuming project. This option is required starting from
--os-placement-api-version 1.8.

--user-id user_id
ID of the consuming user. This option is required starting from
--os-placement-api-version 1.8.

uuid
UUID of the consumer

This command is provided by the osc-placement plugin.

1.3.11 resource provider allocation show

Show resource allocations for a given consumer.

Starting with --os-placement-api-version 1.12 the API response contains the project_id and user_id of allocations which also appears in the CLI output.

```
openstack resource provider allocation show  
  [--sort-column SORT_COLUMN]  
  <uuid>
```

--sort-column SORT_COLUMN
specify the column(s) to sort the data (columns specified first have a priority, non-existing columns are ignored), can be repeated

uuid
UUID of the consumer

This command is provided by the osc-placement plugin.

1.3.12 resource provider allocation unset

Removes one or more sets of provider allocations for a consumer.

Note that omitting the --provider option is equivalent to removing all allocations for the given consumer.

This command requires --os-placement-api-version 1.12 or greater. Use openstack resource provider allocation set for older versions.

```
openstack resource provider allocation unset  
  [--sort-column SORT_COLUMN]  
  [--provider provider_uuid]  
  <consumer_uuid>
```

--sort-column SORT_COLUMN
specify the column(s) to sort the data (columns specified first have a priority, non-existing columns are ignored), can be repeated

--provider provider_uuid

UUID of a specific resource provider from which to remove allocations for the given consumer. This is useful when the consumer has allocations on more than one provider, for example after evacuating a server to another compute node and you want to cleanup allocations on the source compute node resource provider in order to delete it. It is strongly recommended to use `--os-placement-api-version 1.28` or greater when using this option to ensure the other allocation information is retained. Specify multiple times to remove allocations against multiple resource providers. Omit this option to remove all allocations for the consumer.

consumer_uuid

UUID of the consumer

This command is provided by the osc-placement plugin.

1.3.13 resource provider create

Create a new resource provider

```
openstack resource provider create
  [--parent-provider <parent_provider>]
  [--uuid <uuid>]
  <name>
```

--parent-provider <parent_provider>

UUID of the parent provider. Omit for no parent. This option requires at least `--os-placement-api-version 1.14`.

--uuid <uuid>

UUID of the resource provider

name

Name of the resource provider

This command is provided by the osc-placement plugin.

1.3.14 resource provider delete

Delete a resource provider

```
openstack resource provider delete <uuid>
```

uuid

UUID of the resource provider

This command is provided by the osc-placement plugin.

1.3.15 resource provider inventory class set

Replace the inventory record of the class for the resource provider.

Example:

```
openstack resource provider inventory class set <uuid> VCPU      --  
→total 16                --max_unit 4                --reserved 1
```

```
openstack resource provider inventory class set  
  [--allocation_ratio <allocation_ratio>]  
  [--min_unit <min_unit>]  
  [--max_unit <max_unit>]  
  [--reserved <reserved>]  
  [--step_size <step_size>]  
  --total <total>  
  <uuid>  
  <class>
```

--allocation_ratio <allocation_ratio>

It is used in determining whether consumption of the resource of the provider can exceed physical constraints. For example, for a vCPU resource with: `allocation_ratio = 16.0`, `total = 8`. Overall capacity is equal to 128 vCPUs.

--min_unit <min_unit>

A minimum amount any single allocation against an inventory can have.

--max_unit <max_unit>

A maximum amount any single allocation against an inventory can have.

--reserved <reserved>

The amount of the resource a provider has reserved for its own use.

--step_size <step_size>

A representation of the divisible amount of the resource that may be requested. For example, `step_size = 5` means that only values divisible by 5 (5, 10, 15, etc.) can be requested.

--total <total>

The actual amount of the resource that the provider can accommodate.

uuid

UUID of the resource provider

class

<resource_class> is an entity that indicates standard or deployer-specific resources that can be provided by a resource provider. For example, VCPU, MEMORY_MB, DISK_GB.

This command is provided by the osc-placement plugin.

1.3.16 resource provider inventory delete

Delete the inventory.

Depending on the resource class argument presence, delete all inventory for a given resource provider or for a resource provider/class pair.

Delete all inventories for given resource provider requires at least `--os-placement-api-version 1.5`.

```
openstack resource provider inventory delete
  --resource-class <resource_class>
  <uuid>
```

--resource-class <resource_class>

<resource_class> is an entity that indicates standard or deployer-specific resources that can be provided by a resource provider. For example, VCPU, MEMORY_MB, DISK_GB. This argument can be omitted starting with `--os-placement-api-version 1.5`. If it is omitted all inventories of the specified resource provider will be deleted.

uuid

UUID of the resource provider

This command is provided by the osc-placement plugin.

1.3.17 resource provider inventory list

List inventories for a given resource provider.

```
openstack resource provider inventory list
  [--sort-column SORT_COLUMN]
  <uuid>
```

--sort-column SORT_COLUMN

specify the column(s) to sort the data (columns specified first have a priority, non-existing columns are ignored), can be repeated

uuid

UUID of the resource provider

This command is provided by the osc-placement plugin.

1.3.18 resource provider inventory set

Replaces the set of inventory records for the resource provider.

Note that by default this is a full replacement of the existing inventory. If you want to retain the existing inventory and add a new resource class inventory, you must specify all resource class inventory, old and new, or specify the `--amend` option.

If a specific inventory field is not specified for a given resource class, it is assumed to be the total, i.e. `--resource VCPU=16` is equivalent to `--resource VCPU:total=16`.

Example:

```
openstack resource provider inventory set <uuid>           --resource_
↪VCPU=16             --resource MEMORY_MB=2048           --resource_
↪MEMORY_MB:step_size=128
```

```
openstack resource provider inventory set
  [--sort-column SORT_COLUMN]
  [--resource <resource_class>:<inventory_field>=<value>]
  [--aggregate]
  [--amend]
  [--dry-run]
  <uuid>
```

--sort-column SORT_COLUMN

specify the column(s) to sort the data (columns specified first have a priority, non-existing columns are ignored), can be repeated

--resource <resource_class>:<inventory_field>=<value>

String describing resource. <resource_class> is an entity that indicates standard or deployer-specific resources that can be provided by a resource provider. For example, VCPU, MEMORY_MB, DISK_GB. <inventory_field> (optional) can be: allocation_ratio - it is used in determining whether consumption of the resource of the provider can exceed physical constraints. for example, for a vcpu resource with: allocation_ratio = 16.0, total = 8. overall capacity is equal to 128 vcpus. min_unit - a minimum amount any single allocation against an inventory can have. max_unit - a maximum amount any single allocation against an inventory can have. reserved - the amount of the resource a provider has reserved for its own use. step_size - a representation of the divisible amount of the resource that may be requested. for example, step_size = 5 means that only values divisible by 5 (5, 10, 15, etc.) can be requested. total - the actual amount of the resource that the provider can accommodate.

--aggregate

If this option is specified, the inventories for all resource providers that are members of the aggregate will be set. This option requires at least `--os-placement-api-version 1.3`

--amend

If this option is specified, the inventories will be amended instead of being fully replaced

--dry-run

If this option is specified, the inventories that would be set will be returned without actually setting any inventories

uuid

UUID of the resource provider or UUID of the aggregate, if aggregate is specified

This command is provided by the osc-placement plugin.

1.3.19 resource provider inventory show

Show the inventory for a given resource provider/class pair.

```
openstack resource provider inventory show <uuid> <resource_class>
```

uuid

UUID of the resource provider

resource_class

<resource_class> is an entity that indicates standard or deployer-specific resources that can be provided by a resource provider. For example, VCPU, MEMORY_MB, DISK_GB.

This command is provided by the osc-placement plugin.

1.3.20 resource provider list

List resource providers

```
openstack resource provider list
  [--sort-column SORT_COLUMN]
  [--uuid <uuid>]
  [--name <name>]
  [--aggregate-uuid <aggregate_uuid>]
  [--resource <resource_class>=<value>]
  [--in-tree <in_tree>]
  [--required <required>]
  [--forbidden <forbidden>]
```

--sort-column SORT_COLUMN

specify the column(s) to sort the data (columns specified first have a priority, non-existing columns are ignored), can be repeated

--uuid <uuid>

UUID of the resource provider

--name <name>

Name of the resource provider

--aggregate-uuid <aggregate_uuid>

UUID of the resource provider aggregate of which the listed resource providers are a member. The returned resource providers must be associated with at least one of the aggregates identified by uuid. May be repeated.

This param requires at least `--os-placement-api-version 1.3`.

--resource <resource_class>=<value>

A resource class value pair indicating an amount of resource of a specified class that a provider must have the capacity to serve. May be repeated.

This param requires at least `--os-placement-api-version 1.4`.

--in-tree <in_tree>

Restrict listing to the same provider tree as the specified provider UUID. This option requires at least `--os-placement-api-version 1.14`.

--required <required>

A required trait. May be repeated. Resource providers must collectively contain all of the required traits. This option requires at least `--os-placement-api-version 1.18`.

--forbidden <forbidden>

A forbidden trait. May be repeated. Returned resource providers must not contain any of the specified traits. This option requires at least `--os-placement-api-version 1.22`.

This command is provided by the osc-placement plugin.

1.3.21 resource provider set

Update an existing resource provider

```
openstack resource provider set
  --name <name>
  [--parent-provider <parent_provider>]
  <uuid>
```

--name <name>

A new name of the resource provider

--parent-provider <parent_provider>

UUID of the parent provider. Can only be set if the resource provider has no parent yet. This option requires at least `--os-placement-api-version 1.14`.

uuid

UUID of the resource provider

This command is provided by the osc-placement plugin.

1.3.22 resource provider show

Show resource provider details

```
openstack resource provider show [--allocations] <uuid>
```

--allocations

include the info on allocations of the provider resources

uuid

UUID of the resource provider

This command is provided by the osc-placement plugin.

1.3.23 resource provider trait delete

Dissociate all the traits from the resource provider.

Note that this command is not atomic if multiple processes are managing traits for the same provider.

This command requires at least `--os-placement-api-version 1.6`.

```
openstack resource provider trait delete <uuid>
```

uuid

UUID of the resource provider.

This command is provided by the osc-placement plugin.

1.3.24 resource provider trait list

List traits associated with the resource provider identified by {uuid}.

This command requires at least `--os-placement-api-version 1.6`.

```
openstack resource provider trait list
  [--sort-column SORT_COLUMN]
  <uuid>
```

--sort-column SORT_COLUMN

specify the column(s) to sort the data (columns specified first have a priority, non-existing columns are ignored), can be repeated

uuid

UUID of the resource provider.

This command is provided by the osc-placement plugin.

1.3.25 resource provider trait set

Associate traits with the resource provider identified by {uuid}.

All the associated traits will be replaced by the traits specified.

This command requires at least `--os-placement-api-version 1.6`.

```
openstack resource provider trait set
  [--sort-column SORT_COLUMN]
  [--trait <trait>]
  <uuid>
```

--sort-column SORT_COLUMN

specify the column(s) to sort the data (columns specified first have a priority, non-existing columns are ignored), can be repeated

--trait <trait>

Name of the trait. May be repeated.

uuid

UUID of the resource provider.

This command is provided by the osc-placement plugin.

1.3.26 resource provider usage show

Show resource usages per class for a given resource provider.

```
openstack resource provider usage show
  [--sort-column SORT_COLUMN]
  <uuid>
```

--sort-column SORT_COLUMN

specify the column(s) to sort the data (columns specified first have a priority, non-existing columns are ignored), can be repeated

uuid

UUID of the resource provider

This command is provided by the osc-placement plugin.

1.3.27 resource usage show

Show resource usages for a project (and optionally user) per class.

Gives a report of usage information for resources associated with the project identified by the `project_id` argument and user identified by the `--user-id` option.

This command requires at least `--os-placement-api-version 1.9`.

```
openstack resource usage show
  [--sort-column SORT_COLUMN]
  [--user-id <user-uuid>]
  <project-uuid>
```

--sort-column SORT_COLUMN

specify the column(s) to sort the data (columns specified first have a priority, non-existing columns are ignored), can be repeated

--user-id <user-uuid>

ID of the user.

project-uuid

ID of the project.

This command is provided by the osc-placement plugin.

1.3.28 trait create

Create a new custom trait.

Custom traits must begin with the prefix `CUSTOM_` and contain only the letters A through Z, the numbers 0 through 9 and the underscore `_` character.

This command requires at least `--os-placement-api-version 1.6`.

```
openstack trait create <name>
```

name

Name of the trait.

This command is provided by the osc-placement plugin.

1.3.29 trait delete

Delete the trait specified by {name}.

This command requires at least `--os-placement-api-version 1.6`.

```
openstack trait delete <name>
```

name

Name of the trait.

This command is provided by the osc-placement plugin.

1.3.30 trait list

Return a list of valid trait strings.

This command requires at least `--os-placement-api-version 1.6`.

```
openstack trait list
  [--sort-column SORT_COLUMN]
  [--name <name>]
  [--associated]
```

--sort-column SORT_COLUMN

specify the column(s) to sort the data (columns specified first have a priority, non-existing columns are ignored), can be repeated

--name <name>

A string to filter traits. The following options are available: `startswith` operator filters the traits whose name begins with a specific prefix, e.g. `name=startswith:CUSTOM`, in operator filters the traits whose name is in the specified list, e.g. `name=in:HW_CPU_X86_AVX,HW_CPU_X86_SSE,HW_CPU_X86_INVALID_FEATURE`.

--associated

If this parameter is presented, the returned traits will be those that are associated with at least one resource provider.

This command is provided by the osc-placement plugin.

1.3.31 trait show

Check if a trait name exists in this cloud.

This command requires at least `--os-placement-api-version 1.6`.

```
openstack trait show <name>
```

name

Name of the trait.

This command is provided by the osc-placement plugin.

1.4 User Documentation

This document describes various usage aspects of the *osc-placement* plugin including but not limited to command line examples and explanations, references and microversion usage.

The full Placement API reference can be found here:

<https://docs.openstack.org/api-ref/placement/>

1.4.1 Microversion usage

By default, all commands are run with the 1.0 Placement API version. One can specify a different microversion using the `--os-placement-api-version` option, for example:

```
$ openstack resource provider aggregate list --os-placement-api-version 1.1
↪1 dc43b86a-1261-4f8b-8330-28289fe754e3
+-----+
| uuid                                     |
+-----+
| 42896e0d-205d-4fe3-bd1e-100924931787 |
| 42896e0d-205d-4fe3-bd1e-100924931788 |
+-----+
```

Alternatively, the `OS_PLACEMENT_API_VERSION` environment variable can be set, for example:

```
$ export OS_PLACEMENT_API_VERSION=1.1
$ openstack resource provider aggregate list dc43b86a-1261-4f8b-8330-
↪28289fe754e3
+-----+
| uuid                                     |
+-----+
| 42896e0d-205d-4fe3-bd1e-100924931787 |
| 42896e0d-205d-4fe3-bd1e-100924931788 |
+-----+
```

The Placement API version history can be found here:

<https://docs.openstack.org/nova/latest/user/placement.html#rest-api-version-history>

1.4.2 Examples

This section provides some common examples for command line usage.

To see the list of available commands for resource providers, run:

```
$ openstack resource -h
```

Resource providers

Resource provider command subset have a basic CRUD interface. First, it can be easily created:

```
$ p=$(openstack resource provider create Baremetal_node_01 -c uuid -f _  
→value)
```

and renamed:

```
$ openstack resource provider set $p --name Baremetal_node_02
```

Field	Value
uuid	c33caafc-b59c-46bc-b396-19f117171fec
name	Baremetal_node_02
generation	0

To get all allocations related to the resource provider use an `--allocations` option for the show command:

```
$ openstack resource provider show $p --allocations
```

Field	Value
uuid	c33caafc-b59c-46bc-b396-19f117171fec
name	Baremetal_node_02
generation	4
allocations	{u'45f4ccf9-36e3-4d13-8c6b-80fd6c66a195': {u'resources': {u'VCPU': 1, u'MEMORY_MB': 512, u'DISK_GB': 10}}, u'2892c6f6-6ee7-4a34-aa20-156b8216de3c': {u'resources': {u'VCPU': 1, u'MEMORY_MB': 512, u'DISK_GB': 10}}}

(continues on next page)

(continued from previous page)

```

+-----+-----+
↪-----+
↪-----+
↪-----+

```

A resource provider cannot be deleted if it has allocations, otherwise just issue:

```
$ openstack resource provider delete $p
```

and it is done.

Allocations

One can set allocations against a resource provider for a given consumer multiple ways.

When setting allocations against a single resource provider, it is generally easiest to use something like:

```
$ openstack resource provider allocation set 45f4ccf9-36e3-4d13-8c6b-
↪80fd6c66a195 --allocation rp=dc43b86a-1261-4f8b-8330-28289fe754e3,DISK_
↪GB=10,VCPU=1,MEMORY_MB=512
```

resource_provider	generation	resources
dc43b86a-1261-4f8b-8330-28289fe754e3	9	{u'VCPU': 1, u'MEMORY_MB': 512, u'DISK_GB': 10}

Alternatively one can set resource allocations against separate providers:

```
$ openstack resource provider allocation set 45f4ccf9-36e3-4d13-8c6b-
↪80fd6c66a195 --allocation rp=dc43b86a-1261-4f8b-8330-28289fe754e3,VCPU=1,
↪MEMORY_MB=512 --allocation rp=762746bc-de0d-47a7-b47a-a14028643663,DISK_
↪GB=10
```

resource_provider	generation	resources
dc43b86a-1261-4f8b-8330-28289fe754e3	9	{u'VCPU': 1, u'MEMORY_MB': 512}
762746bc-de0d-47a7-b47a-a14028643663	1	{u'DISK_GB': 10}

In this scenario, the consumer, 45f4ccf9-36e3-4d13-8c6b-80fd6c66a195, has VCPU and MEMORY_MB allocations against one provider, dc43b86a-1261-4f8b-8330-28289fe754e3, and DISK_GB allocations against another provider, 762746bc-de0d-47a7-b47a-a14028643663.

Note: When setting allocations for a consumer, the command overwrites any existing allocations for that consumer. So if you want to add or change one resource class allocation but leave other existing resource class allocations unchanged, you must also specify those other existing unchanged allocations so they are not removed.

Resource classes

There is a standard set of resource classes defined within the Placement service itself. These standard resource classes cannot be modified.

Users can create and delete *custom* resource classes, which have a name prefix of `CUSTOM_`.

INDEX

Symbols

	command line option, 13
--aggregate	--limit <limit>
openstack-resource-provider-inventory-set	openstack-allocation-candidate-list
command line option, 12	command line option, 4
--aggregate <aggregate_uuid>	--max_unit <max_unit>
openstack-resource-provider-aggregate-set	openstack-resource-provider-inventory-class
command line option, 6	command line option, 10
--aggregate-uuid <aggregate_uuid>	--min_unit <min_unit>
openstack-allocation-candidate-list	openstack-resource-provider-inventory-class
command line option, 4	command line option, 10
openstack-resource-provider-list	--name <name>
command line option, 13	openstack-resource-provider-list
--allocation <rp=resource-provider-id, resource-class-name-amount-of-resource-used>	command line option, 13
openstack-resource-provider-allocation-set	openstack-resource-provider-set
command line option, 7	command line option, 14
--allocation_ratio	openstack-trait-list command
<allocation_ratio>	line option, 17
openstack-resource-provider-inventory-class-set	--parent_provider
command line option, 10	<parent_provider>
--allocations	openstack-resource-provider-create
openstack-resource-provider-show	command line option, 9
command line option, 14	openstack-resource-provider-set
--amend	command line option, 14
openstack-resource-provider-inventory-set	--project-id project_id
command line option, 12	openstack-resource-provider-allocation-set
--associated	command line option, 8
openstack-trait-list command	--provider provider_uuid
line option, 17	openstack-resource-provider-allocation-unset
--dry-run	command line option, 8
openstack-resource-provider-inventory-set	--required <required>
command line option, 12	openstack-allocation-candidate-list
--forbidden <forbidden>	command line option, 4
openstack-allocation-candidate-list	openstack-resource-provider-list
command line option, 4	command line option, 13
openstack-resource-provider-list	--reserved <reserved>
command line option, 14	openstack-resource-provider-inventory-class
--generation <resource_provider_generation>	command line option, 10
openstack-resource-provider-aggregate-set	--resource <resource_class>:<inventory_field>
command line option, 7	openstack-resource-provider-inventory-set
--in-tree <in_tree>	command line option, 12
openstack-resource-provider-list	--resource <resource_class>=<value>

```

openstack-allocation-candidate-list openstack-resource-provider-allocation-set
    command line option,4                                command line option,8
openstack-resource-provider-list--uuid <uuid>
    command line option,13                                openstack-resource-provider-create
--resource-class <resource_class>                        command line option,9
openstack-resource-provider-inventory-openstack-resource-provider-list
    command line option,11                                command line option,13
--sort-column SORT_COLUMN
C
openstack-allocation-candidate-list                        class
    command line option,4
openstack-resource-class-list                            openstack-resource-provider-inventory-class
    command line option,5                                command line option,10
openstack-resource-provider-aggregate-consumer-uuid
    command line option,6                                openstack-resource-provider-allocation-unset
openstack-resource-provider-aggregate-set                command line option,9
    command line option,6
N
openstack-resource-provider-allocation-set                name
    command line option,7
openstack-resource-provider-allocation-show              openstack-resource-class-create
    command line option,8                                command line option,5
openstack-resource-provider-allocation-unset              openstack-resource-class-delete
    command line option,8                                command line option,5
openstack-resource-provider-inventory-list                openstack-resource-class-set
    command line option,11                                command line option,5
openstack-resource-provider-inventory-set                openstack-resource-class-show
    command line option,12                                command line option,6
openstack-resource-provider-list                            openstack-resource-provider-create
    command line option,13                                command line option,9
openstack-resource-provider-trait-list                    openstack-trait-create command
    command line option,15                                line option,17
openstack-resource-provider-trait-set                    openstack-trait-delete command
    command line option,15                                line option,17
openstack-resource-provider-usage-show                    openstack-trait-show command
    command line option,16                                line option,18
openstack-resource-usage-show
    command line option,16
O
openstack-trait-list command                                openstack-allocation-candidate-list
    line option,17                                        command line option
--step_size <step_size>                                    --aggregate-uuid
    openstack-resource-provider-inventory-class-set      <aggregate_uuid>,4
    command line option,10                                --forbidden <forbidden>,4
--total <total>                                            --limit <limit>,4
    openstack-resource-provider-inventory-class-set      --required <required>,4
    command line option,10                                --resource
--trait <trait>                                            <resource_class>=<value>,
    openstack-resource-provider-trait-set                4
    command line option,15                                --sort-column SORT_COLUMN,4
--user-id <user-uuid>                                    openstack-resource-class-create
    openstack-resource-usage-show                        command line option
    command line option,16                                name,5
--user-id user_id                                        openstack-resource-class-delete
                                                            command line option

```

name, 5	uuid, 9
openstack-resource-class-list	openstack-resource-provider-inventory-class-s
command line option	command line option
--sort-column SORT_COLUMN, 5	--allocation_ratio
openstack-resource-class-set	<allocation_ratio>, 10
command line option	--max_unit <max_unit>, 10
name, 5	--min_unit <min_unit>, 10
openstack-resource-class-show	--reserved <reserved>, 10
command line option	--step_size <step_size>, 10
name, 6	--total <total>, 10
openstack-resource-provider-aggregate-list, 10	class, 10
command line option	uuid, 10
--sort-column SORT_COLUMN, 6	openstack-resource-provider-inventory-delete
uuid, 6	command line option
openstack-resource-provider-aggregate-set	resource-class
command line option	<resource_class>, 11
--aggregate <aggregate_uuid>, 6	uuid, 11
--generation	openstack-resource-provider-inventory-list
<resource_provider_generation>,	command line option
7	--sort-column SORT_COLUMN, 11
--sort-column SORT_COLUMN, 6	uuid, 11
uuid, 7	openstack-resource-provider-inventory-set
openstack-resource-provider-allocation-delete	command line option
command line option	--aggregate, 12
uuid, 7	--amend, 12
openstack-resource-provider-allocation-set	dry-run, 12
command line option	--resource
--allocation	<resource_class>:<inventory_field>=<val
<rp=resource-provider-id, resource-class=	class-name=amount-of-resource-used>,
7	--sort-column SORT_COLUMN, 12
--project-id project_id, 8	uuid, 12
--sort-column SORT_COLUMN, 7	openstack-resource-provider-inventory-show
--user-id user_id, 8	command line option
uuid, 8	resource_class, 13
openstack-resource-provider-allocation-show, 13	uuid, 13
command line option	openstack-resource-provider-list
--sort-column SORT_COLUMN, 8	command line option
uuid, 8	--aggregate-uuid
openstack-resource-provider-allocation-unset	<aggregate_uuid>, 13
command line option	--forbidden <forbidden>, 14
--provider provider_uuid, 8	--in-tree <in_tree>, 13
--sort-column SORT_COLUMN, 8	--name <name>, 13
consumer_uuid, 9	--required <required>, 13
openstack-resource-provider-create	--resource
command line option	<resource_class>=<value>,
--parent-provider	13
<parent_provider>, 9	--sort-column SORT_COLUMN, 13
--uuid <uuid>, 9	--uuid <uuid>, 13
name, 9	openstack-resource-provider-set
openstack-resource-provider-delete	command line option
command line option	--name <name>, 14

`--parent-provider`
 `<parent_provider>`, 14
 `uuid`, 14
`openstack-resource-provider-show`
 command line option
 `--allocations`, 14
 `uuid`, 14
`openstack-resource-provider-trait-delete`
 command line option
 `uuid`, 15
`openstack-resource-provider-trait-list`
 command line option
 `--sort-column SORT_COLUMN`, 15
 `uuid`, 15
`openstack-resource-provider-trait-set`
 command line option
 `--sort-column SORT_COLUMN`, 15
 `--trait <trait>`, 15
 `uuid`, 15
`openstack-resource-provider-usage-show`
 command line option
 `--sort-column SORT_COLUMN`, 16
 `uuid`, 16
`openstack-resource-usage-show`
 command line option
 `--sort-column SORT_COLUMN`, 16
 `--user-id <user-uuid>`, 16
 `project-uuid`, 16
`openstack-trait-create` command
 line option
 `name`, 17
`openstack-trait-delete` command
 line option
 `name`, 17
`openstack-trait-list` command line
 option
 `--associated`, 17
 `--name <name>`, 17
 `--sort-column SORT_COLUMN`, 17
`openstack-trait-show` command line
 option
 `name`, 18

P

`project-uuid`
 `openstack-resource-usage-show`
 command line option, 16

R

`resource_class`
 `openstack-resource-provider-inventory-show`
 command line option, 13

U

`uuid`
 `openstack-resource-provider-aggregate-list`
 command line option, 6
 `openstack-resource-provider-aggregate-set`
 command line option, 7
 `openstack-resource-provider-allocation-del`
 command line option, 7
 `openstack-resource-provider-allocation-set`
 command line option, 8
 `openstack-resource-provider-allocation-sho`
 command line option, 8
 `openstack-resource-provider-delete`
 command line option, 9
 `openstack-resource-provider-inventory-clas`
 command line option, 10
 `openstack-resource-provider-inventory-dele`
 command line option, 11
 `openstack-resource-provider-inventory-list`
 command line option, 11
 `openstack-resource-provider-inventory-set`
 command line option, 12
 `openstack-resource-provider-inventory-show`
 command line option, 13
 `openstack-resource-provider-set`
 command line option, 14
 `openstack-resource-provider-show`
 command line option, 14
 `openstack-resource-provider-trait-delete`
 command line option, 15
 `openstack-resource-provider-trait-list`
 command line option, 15
 `openstack-resource-provider-trait-set`
 command line option, 15
 `openstack-resource-provider-usage-show`
 command line option, 16