
SwiftClient Documentation

Release 4.7.1.dev2

OpenStack, LLC.

Mar 06, 2025

CONTENTS

1	Introduction	1
1.1	Introduction	1
2	Developer Documentation	3
2.1	So You Want to Contribute	3
2.2	CLI	3
2.3	The swiftclient.SwiftService API	17
2.4	The swiftclient.Connection API	38
3	Code-Generated Documentation	41
3.1	swiftclient	41
3.2	swiftclient.authv1	41
3.3	swiftclient.client	51
3.4	swiftclient.service	62
3.5	swiftclient.exceptions	68
3.6	swiftclient.multithreading	69
3.7	swiftclient.utils	69
4	Indices and tables	73
5	License	75
	Python Module Index	77
	Index	79

INTRODUCTION

1.1 Introduction

1.1.1 Where to Start?

The `python-swiftclient` project comprises a command line tool and two separate APIs for accessing swift programmatically. Choosing the most appropriate method for a given use case is the first problem a user needs to solve.

Use Cases

Alongside the command line tool, the `python-swiftclient` includes two levels of API:

- A low level client API that provides simple Python wrappers around the various authentication mechanisms and the individual HTTP requests.
- A high level service API that provides methods for performing common operations in parallel on a thread pool.

Example use cases:

- **Uploading and retrieving data**
Use the command line tool if you are simply uploading and downloading files and directories to and from your filesystem. The command line tool can be integrated into a shell script to automate tasks.
- **Integrating into an automated Python workflow**
Use the `SwiftService` API to perform operations offered by the CLI if your use case requires integration with a Python-based workflow. This method offers greater control and flexibility over individual object operations, such as the metadata set on each object. The `SwiftService` class provides methods to perform multiple sets of operations against a swift object store using a configurable shared thread pool. A single instance of the `SwiftService` class can be shared between multiple threads in your own code.
- **Developing an application in Python to access a swift object store**
Use the `SwiftService` API to develop Python applications that use swift to store and retrieve objects. A `SwiftService` instance provides a configurable thread pool for performing all operations supported by the CLI.
- **Fine-grained control over threading or the requests being performed**
Use the `Connection` API if your use case requires fine grained control over advanced features or you wish to use your own existing threading model. Examples of advanced features requiring the use of the `Connection` API include creating an SLO manifest that references

already existing objects, or fine grained control over the query strings supplied with each HTTP request.

1.1.2 Important considerations

This section covers some important considerations, helpful hints, and things to avoid when integrating an object store into your workflow.

An object store is not a filesystem

It cannot be stressed enough that your usage of the object store should reflect the proper use case, and not treat the storage like a traditional filesystem. There are two main restrictions to bear in mind when designing an application that uses an object store:

- You cannot rename objects. Due to fact that the name of an object is one of the factors that determines where the object and its replicas are stored, renaming would require multiple copies of the data to be moved between physical storage devices. If you want to rename an object you must upload to the new location, or make a server side copy request to the new location, and then delete the original.
- You cannot modify objects. Objects are stored in multiple locations and are checked for integrity based on the MD5 sum calculated during upload. In order to modify the contents of an object, the entire desired contents must be re-uploaded. In certain special cases it is possible to work around this restriction using large objects, but no general file-like access is available to modify a stored object.

Objects cannot be locked

There is no mechanism to perform a combination of reading the data/metadata from an object and writing an update to that data/metadata in an atomic way. Any user with access to a container could update the contents or metadata associated with an object at any time.

Workflows that assume that no updates have been made since the last read of an object should be discouraged. Enabling a workflow of this type requires an external object locking mechanism and/or cooperation between all clients accessing the data.

DEVELOPER DOCUMENTATION

2.1 So You Want to Contribute

For general information on contributing to OpenStack, please check out the [contributor guide](#) to get started. It covers all the basics that are common to all OpenStack projects: the accounts you need, the basics of interacting with our Gerrit review system, how we communicate as a community, etc.

The `python-swiftclient` is maintained by the OpenStack Swift project. To understand our development process and how you can contribute to it, please look at the Swift projects general contributors page: <http://docs.openstack.org/swift/latest/contributor/contributing.html>

2.2 CLI

The `swift` tool is a command line utility for communicating with an OpenStack Object Storage (`swift`) environment. It allows one to perform several types of operations.

For help on a specific **swift** command, enter:

```
$ swift COMMAND --help
```

2.2.1 swift usage

```
Usage: swift [--version] [--help] [--os-help] [--snet] [--verbose]
        [--debug] [--info] [--quiet] [--auth <auth_url>]
        [--auth-version <auth_version> |
        --os-identity-api-version <auth_version> ]
        [--user <username>]
        [--key <api_key>] [--retries <num_retries>]
        [--os-username <auth-user-name>] [--os-password <auth-password>]
        [--os-user-id <auth-user-id>]
        [--os-user-domain-id <auth-user-domain-id>]
        [--os-user-domain-name <auth-user-domain-name>]
        [--os-tenant-id <auth-tenant-id>]
        [--os-tenant-name <auth-tenant-name>]
        [--os-project-id <auth-project-id>]
        [--os-project-name <auth-project-name>]
        [--os-project-domain-id <auth-project-domain-id>]
        [--os-project-domain-name <auth-project-domain-name>]
        [--os-auth-url <auth-url>] [--os-auth-token <auth-token>]
        [--os-storage-url <storage-url>] [--os-region-name <region-name>]
```

(continues on next page)

(continued from previous page)

```
[--os-service-type <service-type>]
[--os-endpoint-type <endpoint-type>]
[--os-cacert <ca-certificate>] [--insecure]
[--os-cert <client-certificate-file>]
[--os-key <client-certificate-key-file>]
[--no-ssl-compression]
<subcommand> [--help] [<subcommand options>]
```

Subcommands:**delete**

Delete a container or objects within a container.

download

Download objects from containers.

list

Lists the containers for the account or the objects for a container.

post

Updates meta information for the account, container, or object; creates containers if not present.

copy

Copies object, optionally adds meta

stat

Displays information for the account, container, or object.

upload

Uploads files or directories to the given container.

capabilities

List cluster capabilities.

tempurl

Create a temporary URL.

auth

Display auth related environment variables.

2.2.2 swift optional arguments

--version

show programs version number and exit

-h, --help

show this help message and exit

--os-help

Show OpenStack authentication options.

-s, --snet

Use SERVICENET internal network.

-v, --verbose

Print more info.

- debug**
Show the curl commands and results of all http queries regardless of result status.
- info**
Show the curl commands and results of all http queries which return an error.
- q, --quiet**
Suppress status output.
- A AUTH, --auth=AUTH**
URL for obtaining an auth token.
- V AUTH_VERSION, --auth-version=AUTH_VERSION,**
--os-identity-api-version=AUTH_VERSION
Specify a version for authentication. Defaults to `env[ST_AUTH_VERSION]`,
`env[OS_AUTH_VERSION]`, `env[OS_IDENTITY_API_VERSION]` or 1.0.
- U USER, --user=USER**
User name for obtaining an auth token.
- K KEY, --key=KEY**
Key for obtaining an auth token.
- R RETRIES, --retries=RETRIES**
The number of times to retry a failed connection.
- insecure**
Allow swiftclient to access servers without having to verify the SSL certificate. Defaults to
`env[SWIFTCLIENT_INSECURE]` (set to true to enable).
- no-ssl-compression**
This option is deprecated and not used anymore. SSL compression should be disabled by default
by the system SSL library.
- prompt**
Prompt user to enter a password which overrides any password supplied via `--key`,
`--os-password` or environment variables.

2.2.3 Authentication

This section covers the options for authenticating with a swift object store. The combinations of options required for each authentication version are detailed below, but are just a subset of those that can be used to successfully authenticate. These are the most common and recommended combinations.

You should obtain the details of your authentication version and credentials from your storage provider. These details should make it clearer which of the authentication sections below are most likely to allow you to connect to your storage account.

Keystone v3

```
swift --os-auth-url https://api.example.com:5000/v3 --auth-version 3 \  
      --os-project-name project1 --os-project-domain-name domain1 \  
      --os-username user --os-user-domain-name domain1 \  
      --os-password password list  
  
swift --os-auth-url https://api.example.com:5000/v3 --auth-version 3 \  
      --os-project-id 0123456789abcdef0123456789abcdef \  
      --os-password password list
```

(continues on next page)

(continued from previous page)

```
--os-user-id abcdef0123456789abcdef0123456789 \  
--os-password password list
```

Manually specifying the options above on the command line can be avoided by setting the following combinations of environment variables:

```
ST_AUTH_VERSION=3  
OS_USERNAME=user  
OS_USER_DOMAIN_NAME=domain1  
OS_PASSWORD=password  
OS_PROJECT_NAME=project1  
OS_PROJECT_DOMAIN_NAME=domain1  
OS_AUTH_URL=https://api.example.com:5000/v3  
  
ST_AUTH_VERSION=3  
OS_USER_ID=abcdef0123456789abcdef0123456789  
OS_PASSWORD=password  
OS_PROJECT_ID=0123456789abcdef0123456789abcdef  
OS_AUTH_URL=https://api.example.com:5000/v3
```

Keystone v2

```
swift --os-auth-url https://api.example.com:5000/v2.0 \  
--os-tenant-name tenant \  
--os-username user --os-password password list
```

Manually specifying the options above on the command line can be avoided by setting the following environment variables:

```
ST_AUTH_VERSION=2.0  
OS_USERNAME=user  
OS_PASSWORD=password  
OS_TENANT_NAME=tenant  
OS_AUTH_URL=https://api.example.com:5000/v2.0
```

Legacy auth systems

You can configure swift to work with any number of other authentication systems that we will not cover in this document. If your storage provider is not using Keystone to provide access tokens, please contact them for instructions on the required options. It is likely that the options will need to be specified as below:

```
swift -A https://api.example.com/v1.0 -U user -K api_key list
```

Specifying the options above manually on the command line can be avoided by setting the following environment variables:

```
ST_AUTH_VERSION=1.0  
ST_AUTH=https://api.example.com/v1.0
```

(continues on next page)

(continued from previous page)

```
ST_USER=user
ST_KEY=key
```

It is also possible that you need to use a completely separate auth system, in which case `swiftclient` cannot request a token for you. In this case you should make the authentication request separately and access your storage using the token and storage URL options shown below:

```
swift --os-auth-token 6ee5eb33efad4e45ab46806eac010566 \
      --os-storage-url https://10.1.5.2:8080/v1/AUTH_ced809b6a4baea7aeab61a \
      list
```

Note

Leftover environment variables are a common source of confusion when authorization fails.

2.2.4 CLI commands

Auth

```
Usage: swift auth
```

Display authentication variables in shell friendly format. Command to run to export storage URL and auth token into `OS_STORAGE_URL` and `OS_AUTH_TOKEN`: `swift auth`. Command to append to a runcom file (e.g. `~/.bashrc`, `/etc/profile`) for automatic authentication: `swift auth -v -U test:tester -K testing`.

swift stat

```
Usage: swift stat [--lh] [--header <header:value>]
               [<container> [<object>]]
```

Displays information for the account, container, or object depending on the arguments given (if any). In verbose mode, the storage URL and the authentication token are displayed as well.

Positional arguments:**[container]**

Name of container to stat from.

[object]

Name of object to stat.

Optional arguments:**--lh**

Report sizes in human readable format similar to `ls -lh`.

-H, --header <header:value>

Adds a custom request header to use for stat.

swift list

```
Usage: swift list [--long] [--lh] [--totals] [--prefix <prefix>]
                [--delimiter <delimiter>] [--header <header:value>]
                [<container>]
```

Lists the containers for the account or the objects for a container. The `-p <prefix>` or `--prefix <prefix>` is an option that will only list items beginning with that prefix. The `-d <delimiter>` or `--delimiter <delimiter>` is an option (for container listings only) that will roll up items with the given delimiter (see *OpenStack Swift general documentation* <<https://docs.openstack.org/swift/latest/>> for what this means).

The `-l` and `--lh` options provide more detail, similar to `ls -l` and `ls -lh`, the latter providing sizes in human readable format (For example: 3K, 12M, etc). The latter two switches use more overhead to retrieve the displayed details, which is directly proportional to the number of container or objects listed.

Positional arguments:

[<container>]

Name of container to list object in.

Optional arguments:

-l, --long

Long listing format, similar to `ls -l`.

--lh

Report sizes in human readable format similar to `ls -lh`.

-t, --totals

Used with `-l` or `lh`, only report totals.

-p <prefix>, --prefix <prefix>

Only list items beginning with the prefix.

-d <delim>, --delimiter <delim>

Roll up items with the given delimiter. For containers only. See OpenStack Swift API documentation for what this means.

-H, --header <header:value>

Adds a custom request header to use for listing.

swift upload

```
Usage: swift upload [--changed] [--skip-identical] [--segment-size <size>]
                  [--segment-container <container>] [--leave-segments]
                  [--object-threads <thread>] [--segment-threads <threads>]
                  [--header <header>] [--use-slo] [--ignore-checksum]
                  [--object-name <object-name>]
                  <container> <file_or_directory> [<file_or_directory>] [...
↵]
```

Uploads the files and directories specified by the remaining arguments to the given container. The `-c` or `--changed` is an option that will only upload files that have changed since the last upload. The `--object-name <object-name>` is an option that will upload a file and name object to `<object-name>` or upload a directory and use `<object-name>` as object prefix. If the file name is `-`, client reads content from standard input. In this case `--object-name` is required to set the name

of the object and no other files may be given. The `-S <size>` or `--segment-size <size>` and `--leave-segments` are options as well (see `--help` for more).

Positional arguments:

<container>

Name of container to upload to.

<file_or_directory>

Name of file or directory to upload. Specify multiple times for multiple uploads.

Optional arguments:

`-c, --changed`

Only upload files that have changed since the last upload.

`--skip-identical`

Skip uploading files that are identical on both sides.

`-S, --segment-size <size>`

Upload files in segments no larger than `<size>` (in Bytes) and then create a manifest file that will download all the segments as if it were the original file.

`--segment-container <container>`

Upload the segments into the specified container. If not specified, the segments will be uploaded to a `<container>_segments` container to not pollute the main `<container>` listings.

`--leave-segments`

Indicates that you want the older segments of manifest objects left alone (in the case of overwrites).

`--object-threads <threads>`

Number of threads to use for uploading full objects. Default is 10.

`--segment-threads <threads>`

Number of threads to use for uploading object segments. Default is 10.

`-H, --header <header:value>`

Adds a customized request header. This option may be repeated. Example: `-H content-type:text/plain -H Content-Length: 4000`.

`--use-slo`

When used in conjunction with `segment-size` it will create a Static Large Object instead of the default Dynamic Large Object.

`--object-name <object-name>`

Upload file and name object to `<object-name>` or upload dir and use `<object-name>` as object prefix instead of folder name.

`--ignore-checksum`

Turn off checksum validation for uploads.

swift post

```
Usage: swift post [--read-acl <acl>] [--write-acl <acl>] [--sync-to <sync-to>]
                [--sync-key <sync-key>] [--meta <name:value>]
                [--header <header>]
                [<container> [<object>]]
```

Updates meta information for the account, container, or object depending on the arguments given. If the container is not found, the `swiftclient` will create it automatically, but this is not true for accounts and objects. Containers also allow the `-r <read-acl>` (or `--read-acl <read-acl>`) and `-w <write-acl>` (or `--write-acl <write-acl>`) options. The `-m` or `--meta` option is allowed on accounts, containers and objects, and is used to define the user metadata items to set in the form `Name:Value`. You can repeat this option. For example: `post -m Color:Blue -m Size:Large`

For more information about ACL formats see the documentation: [ACLs](#).

Positional arguments:

[container]

Name of container to post to.

[object]

Name of object to post.

Optional arguments:

-r, --read-acl <acl>

Read ACL for containers. Quick summary of ACL syntax: `.r:*`, `.r:-.example.com`, `.r:www.example.com`, `account1` (v1.0 identity API only), `account1:*`, `account2:user2` (v2.0+ identity API).

-w, --write-acl <acl>

Write ACL for containers. Quick summary of ACL syntax: `account1` (v1.0 identity API only), `account1:*`, `account2:user2` (v2.0+ identity API).

-t, --sync-to <sync-to>

Sync To for containers, for multi-cluster replication.

-k, --sync-key <sync-key>

Sync Key for containers, for multi-cluster replication.

-m, --meta <name:value>

Sets a meta data item. This option may be repeated.

Example: `-m Color:Blue -m Size:Large`

-H, --header <header:value>

Adds a customized request header. This option may be repeated.

Example: `-H content-type:text/plain -H Content-Length: 4000`

swift download

```
Usage: swift download [--all] [--marker <marker>] [--prefix <prefix>]
                    [--output <out_file>] [--output-dir <out_directory>]
                    [--object-threads <threads>] [--ignore-checksum]
                    [--container-threads <threads>] [--no-download]
                    [--skip-identical] [--remove-prefix]
                    [--header <header:value>] [--no-shuffle]
                    [<container> [<object>] [...]]
```

Downloads everything in the account (with `--all`), or everything in a container, or a list of objects depending on the arguments given. For a single object download, you may use the `-o <filename>` or `--output <filename>` option to redirect the output to a specific file or `-` to redirect to stdout. The `--ignore-checksum` is an option that turn off checksum validation. You can specify optional headers

with the repeatable cURL-like option `-H [--header <name:value>]`. `--ignore-mtime` ignores the `x-object-meta-mtime` metadata entry on the object (if present) and instead creates the downloaded files with fresh atime and mtime values.

Positional arguments:

<container>

Name of container to download from. To download a whole account, omit this and specify `all`.

<object>

Name of object to download. Specify multiple times for multiple objects. Omit this to download all objects from the container.

Optional arguments:

`-a, --all`

Indicates that you really want to download everything in the account.

`-m, --marker <marker>`

Marker to use when starting a container or account download.

`-p, --prefix <prefix>`

Only download items beginning with `<prefix>`

`-r, --remove-prefix`

An optional flag for prefix `<prefix>`, use this option to download items without `<prefix>`

`-o, --output <out_file>`

For a single file download, stream the output to `<out_file>`. Specifying `- as <out_file>` will redirect to stdout.

`-D, --output-dir <out_directory>`

An optional directory to which to store objects. By default, all objects are recreated in the current directory.

`--object-threads <threads>`

Number of threads to use for downloading objects. Default is 10.

`--container-threads <threads>`

Number of threads to use for downloading containers. Default is 10.

`--no-download`

Perform download(s), but dont actually write anything to disk.

`-H, --header <header:value>`

Adds a customized request header to the query, like `Range` or `If-Match`. This option may be repeated.

Example: `header content-type:text/plain`

`--skip-identical`

Skip downloading files that are identical on both sides.

`--ignore-checksum`

Turn off checksum validation for downloads.

`--no-shuffle`

By default, when downloading a complete account or container, download order is randomised in order to reduce the load on individual drives when multiple clients are executed simultaneously to download the same set of objects (e.g. a nightly automated download script to multiple servers).

Enable this option to submit download jobs to the thread pool in the order they are listed in the object store.

swift delete

```
Usage: swift delete [--all] [--leave-segments]
                  [--object-threads <threads>]
                  [--container-threads <threads>]
                  [--header <header:value>]
                  [<container> [<object>] [...]]
```

Deletes everything in the account (with `--all`), or everything in a container, or a list of objects depending on the arguments given. Segments of manifest objects will be deleted as well, unless you specify the `--leave-segments` option.

Positional arguments:

[<container>]

Name of container to delete from.

[<object>]

Name of object to delete. Specify multiple times for multiple objects.

Optional arguments:

-a, --all

Delete all containers and objects.

--leave-segments

Do not delete segments of manifest objects.

-H, --header <header:value>

Adds a custom request header to use for deleting objects or an entire container.

--object-threads <threads>

Number of threads to use for deleting objects. Default is 10.

--container-threads <threads>

Number of threads to use for deleting containers. Default is 10.

swift copy

```
Usage: swift copy [--destination </container/object>] [--fresh-metadata]
                  [--meta <name:value>] [--header <header>] <container>
                  <object> [<object>] [...]]
```

Copies an object to a new destination or adds user metadata to an object. Depending on the options supplied, you can preserve existing metadata in contrast to the `post` command. The `--destination` option sets the copy target destination in the form `/container/object`. If not set, the object will be copied onto itself which is useful for adding metadata. You can use the `-M` or `--fresh-metadata` option to copy an object without existing user meta data, and the `-m` or `--meta` option to define user meta data items to set in the form `Name:Value`. You can repeat this option. For example: `copy -m Color:Blue -m Size:Large`.

Positional arguments:

<container>

Name of container to copy from.

<object>

Name of object to copy. Specify multiple times for multiple objects

Optional arguments:**-d, --destination </container[/object]>**

The container and name of the destination object. Name of destination object can be omitted, then will be same as name of source object. Supplying multiple objects and destination with object name is invalid.

-M, --fresh-metadata

Copy the object without any existing metadata, If not set, metadata will be preserved or appended

-m, --meta <name:value>

Sets a meta data item. This option may be repeated.

Example: -m Color:Blue -m Size:Large

-H, --header <header:value>

Adds a customized request header. This option may be repeated.

Example: -H content-type:text/plain -H Content-Length: 4000

swift capabilities

```
Usage: swift capabilities [--json] [<proxy_url>]
```

Displays cluster capabilities. The output includes the list of the activated Swift middlewares as well as relevant options for each ones. Additionally the command displays relevant options for the Swift core. If the `proxy-url` option is not provided, the storage URL retrieved after authentication is used as `proxy-url`.

Optional positional arguments:**<proxy_url>**

Proxy URL of the cluster to retrieve capabilities.

--json

Print the cluster capabilities in JSON format.

swift tempurl

```
Usage: swift tempurl [--absolute] [--prefix-based]
      <method> <seconds> <path> <key>
```

Generates a temporary URL for a Swift object. `method` option sets an HTTP method to allow for this temporary URL that is usually GET or PUT. `time` option sets the amount of time the temporary URL will be valid for. `time` can be specified as an integer, denoting the number of seconds from now on until the URL shall be valid; or, if `--absolute` is passed, the Unix timestamp when the temporary URL will expire. But beyond that, `time` can also be specified as an ISO 8601 timestamp in one of following formats:

- i) Complete date: YYYY-MM-DD (e.g. 1997-07-16)

- ii) Complete date plus hours, minutes and seconds: YYYY-MM-DDThh:mm:ss (e.g. 1997-07-16T19:20:30)
- iii) Complete date plus hours, minutes and seconds with UTC designator: YYYY-MM-DDThh:mm:ssZ (e.g. 1997-07-16T19:20:30Z)

Please be aware that if you dont provide the UTC designator (i.e., Z) the timestamp is generated using your local timezone. If only a date is specified, the time part used will equal to 00:00:00.

`path` option sets the full path to the Swift object. Example: `/v1/AUTH_account/c/o`. `key` option is the secret temporary URL key set on the Swift cluster. To set a key, run `swift post -m "Temp-URL-Key: <your secret key>"`. To generate a prefix-based temporary URL use the `--prefix-based` option. This URL will contain the path to the prefix. Do not forget to append the desired objectname at the end of the path portion (and before the query portion) before sharing the URL. It is possible to use ISO 8601 UTC timestamps within the URL by using the `--iso8601` option.

Positional arguments:

<method>

An HTTP method to allow for this temporary URL. Usually GET or PUT.

<seconds>

The amount of time in seconds the temporary URL will be valid for; or, if absolute is passed, the Unix timestamp when the temporary URL will expire.

<path>

The full path to the Swift object.

Example: `/v1/AUTH_account/c/o` or: `http://saio:8080/v1/AUTH_account/c/o`

<key>

The secret temporary URL key set on the Swift cluster. To set a key, run `swift post -m Temp-URL-Key:b3968d0207b54ece87cccc06515a89d4`

Optional arguments:

`--absolute`

Interpret the <seconds> positional argument as a Unix timestamp rather than a number of seconds in the future.

`--prefix-based`

If present, a prefix-based tempURL will be generated.

2.2.5 Examples

In this section we present some example usage of the `swift` CLI. To keep the examples as short as possible, these examples assume that the relevant authentication options have been set using environment variables. You can obtain the full list of commands and options available in the `swift` CLI by executing the following:

```
> swift --help
> swift <command> --help
```

Simple examples

List the existing swift containers:

```
> swift list  
container_1
```

Create a new container:

```
> swift post TestContainer
```

Upload an object into a container:

```
> swift upload TestContainer testSwift.txt  
testSwift.txt
```

List the contents of a container:

```
> swift list TestContainer  
testSwift.txt
```

Copy an object to new destination:

```
> swift copy -d /DestContainer/testSwift.txt SourceContainer testSwift.txt  
SourceContainer/testSwift.txt copied to /DestContainer/testSwift.txt
```

Delete an object from a container:

```
> swift delete TestContainer testSwift.txt  
testSwift.txt
```

Delete a container:

```
> swift delete TestContainer  
TestContainer
```

Display auth related authentication variables in shell friendly format:

```
> swift auth  
export OS_STORAGE_URL=http://127.0.0.1:8080/v1/AUTH_  
↪bf5e63572f7a420a83fcf0aa8c72c2c7  
export OS_AUTH_TOKEN=c597015ae19943a18438b52ef3762e79
```

Download an object from a container:

```
> swift download TestContainer testSwift.txt
testSwift.txt | auth 0.028s, headers 0.045s, total 0.045s, 0.002 MB/s |
```

Note

To upload an object to a container, your current working directory must be where the file is located or you must provide the complete path to the file. In other words, the object-name <object-name> is an option that will upload file and name object to <object-name> or upload directory and use <object-name> as object prefix. In the case that you provide the complete path of the file, that complete path will be the name of the uploaded object.

For example:

```
> swift upload TestContainer /home/swift/testSwift/testSwift.txt
home/swift/testSwift/testSwift.txt

> swift list TestContainer
home/swift/testSwift/testSwift.txt
```

More complex examples

Swift has a single object size limit of 5GiB. In order to upload files larger than this, we must create a large object that consists of smaller segments. The example below shows how to upload a large video file as a static large object in 1GiB segments:

```
> swift upload videos --use-slo --segment-size 1G myvideo.mp4
myvideo.mp4 segment 8
myvideo.mp4 segment 4
myvideo.mp4 segment 2
myvideo.mp4 segment 7
myvideo.mp4 segment 0
myvideo.mp4 segment 1
myvideo.mp4 segment 3
myvideo.mp4 segment 6
myvideo.mp4 segment 5
myvideo.mp4
```

This command will upload segments to a container named `videos_segments`, and create a manifest file describing the entire object in the `videos` container. For more information on large objects, see the documentation [here](#).

```
> swift list videos
myvideo.mp4
```

(continues on next page)

(continued from previous page)

```
> swift list videos_segments

myvideo.mp4/slo/1460229233.679546/9341553868/1073741824/00000000
myvideo.mp4/slo/1460229233.679546/9341553868/1073741824/00000001
myvideo.mp4/slo/1460229233.679546/9341553868/1073741824/00000002
myvideo.mp4/slo/1460229233.679546/9341553868/1073741824/00000003
myvideo.mp4/slo/1460229233.679546/9341553868/1073741824/00000004
myvideo.mp4/slo/1460229233.679546/9341553868/1073741824/00000005
myvideo.mp4/slo/1460229233.679546/9341553868/1073741824/00000006
myvideo.mp4/slo/1460229233.679546/9341553868/1073741824/00000007
myvideo.mp4/slo/1460229233.679546/9341553868/1073741824/00000008
```

Firstly, the key should be set, then generate a temporary URL for a Swift object:

```
> swift post -m "Temp-URL-Key:b3968d0207b54ece87cccc06515a89d4"

> swift tempurl GET 6000 /v1/AUTH_bf5e63572f7a420a83fcf0aa8c72c2c7\
  /firstcontainer/clean.sh b3968d0207b54ece87cccc06515a89d4

/v1/AUTH_/firstcontainer/clean.sh?temp_url_sig=\
9218fc288cc09e5edd857b6a3d43cf2122b906dc&temp_url_expires=1472203614
```

2.3 The swiftclient.SwiftService API

A higher-level API aimed at allowing developers an easy way to perform multiple operations asynchronously using a configurable thread pool. Documentation for each service method call can be found here: [swiftclient.service](#).

2.3.1 Authentication

This section covers the various options for authenticating with a swift object store. The combinations of options required for each authentication version are detailed below. Once again, these are just a subset of those that can be used to successfully authenticate, but they are the most common and recommended.

The relevant authentication options are presented as python dictionaries that should be added to any other options you are supplying to your `SwiftService` instance. As indicated in the python code, you can also set these options as environment variables that will be loaded automatically if the relevant option is not specified.

The `SwiftService` authentication attempts to automatically select the auth version based on the combination of options specified, but supplying options from multiple different auth versions can cause unexpected behaviour.

Note

Leftover environment variables are a common source of confusion when authorization fails.

Keystone V3

```
{
  ...
  "auth_version": environ.get('ST_AUTH_VERSION'), # Should be '3'
  "os_username": environ.get('OS_USERNAME'),
  "os_password": environ.get('OS_PASSWORD'),
  "os_project_name": environ.get('OS_PROJECT_NAME'),
  "os_project_domain_name": environ.get('OS_PROJECT_DOMAIN_NAME'),
  "os_auth_url": environ.get('OS_AUTH_URL'),
  ...
}
```

```
{
  ...
  "auth_version": environ.get('ST_AUTH_VERSION'), # Should be '3'
  "os_username": environ.get('OS_USERNAME'),
  "os_password": environ.get('OS_PASSWORD'),
  "os_project_id": environ.get('OS_PROJECT_ID'),
  "os_project_domain_id": environ.get('OS_PROJECT_DOMAIN_ID'),
  "os_auth_url": environ.get('OS_AUTH_URL'),
  ...
}
```

Keystone V2

```
{
  ...
  "auth_version": environ.get('ST_AUTH_VERSION'), # Should be '2.0'
  "os_username": environ.get('OS_USERNAME'),
  "os_password": environ.get('OS_PASSWORD'),
  "os_tenant_name": environ.get('OS_TENANT_NAME'),
  "os_auth_url": environ.get('OS_AUTH_URL'),
  ...
}
```

Legacy Auth

```
{
  ...
  "auth_version": environ.get('ST_AUTH_VERSION'), # Should be '1.0'
  "auth": environ.get('ST_AUTH'),
  "user": environ.get('ST_USER'),
  "key": environ.get('ST_KEY'),
  ...
}
```

2.3.2 Configuration

When you create an instance of a `SwiftService`, you can override a collection of default options to suit your use case. Typically, the defaults are sensible to get us started, but depending on your needs you might want to tweak them to improve performance (options affecting large objects and thread counts can significantly alter performance in the right situation).

Service level defaults and some extra options can also be overridden on a per-operation (or even in some cases per-object) basis, and you will call out which options affect which operations later in the document.

The configuration of the service API is performed using an options dictionary passed to the `SwiftService` during initialisation. The options available in this dictionary are described below, along with their defaults:

Options

retries: 5

The number of times that the library should attempt to retry HTTP actions before giving up and reporting a failure.

`container_threads: 10`

`object_dd_threads: 10`

`object_uu_threads: 10`

segment_threads: 10

The above options determine the size of the available thread pools for performing swift operations. Container operations (such as listing a container) operate in the container threads, and a similar pattern applies to object and segment threads.

Note

Object threads are separated into two separate thread pools: uu and dd. This stands for upload/update and download/delete, and the corresponding actions will be run on separate threads pools.

segment_size: None

If specified, this option enables uploading of large objects. Should the object being uploaded be larger than 5G in size, this option is mandatory otherwise the upload will fail. This option should be specified as a size in bytes.

use_slo: False

Used in combination with the above option, `use_slo` will upload large objects as static rather than dynamic. Only static large objects provide error checking for the downloaded object, so we recommend this option.

segment_container: None

Allows the user to select the container into which large object segments will be uploaded. We do not recommend changing this value as it could make locating orphaned segments more difficult in the case of errors.

leave_segments: False

Setting this option to true means that when deleting or overwriting a large object, its segments will be left in the object store and must be cleaned up manually. This option can be useful when sharing

large object segments between multiple objects in more advanced scenarios, but must be treated with care, as it could lead to ever increasing storage usage.

changed: None

This option affects uploads and simply means that those objects which already exist in the object store will not be overwritten if the `mtime` and size of the source is the same as the existing object.

skip_identical: False

A slightly more thorough case of the above, but rather than `mtime` and size uses an objects MD5 sum.

yes_all: False

This options affects only download and delete, and in each case must be specified in order to download/delete the entire contents of an account. This option has no effect on any other calls.

no_download: False

This option only affects download and means that all operations proceed as normal with the exception that no data is written to disk.

header: []

Used with upload and post operations to set headers on objects. Headers are specified as colon separated strings, e.g. `content-type:text/plain`.

meta: []

Used to set metadata on an object similarly to headers.

Note

Setting metadata is a destructive operation, so when updating one of many metadata values all desired metadata for an object must be re-applied.

long: False

Affects only list operations, and results in more metrics being made available in the results at the expense of lower performance.

fail_fast: False

Applies to delete and upload operations, and attempts to abort queued tasks in the event of errors.

prefix: None

Affects list operations; only objects with the given prefix will be returned/affected. It is not advisable to set at the service level, as those operations that call list to discover objects on which they should operate will also be affected.

delimiter: None

Affects list operations, and means that listings only contain results up to the first instance of the delimiter in the object name. This is useful for working with objects containing `/` in their names to simulate folder structures.

dir_marker: False

Affects uploads, and allows empty pseudofolder objects to be created when the source of an upload is `None`.

checksum: True

Affects uploads and downloads. If set check md5 sum for the transfer.

shuffle: False

When downloading objects, the default behaviour of the CLI is to shuffle lists of objects in order to spread the load on storage drives when multiple clients are downloading the same files to multiple locations (e.g. in the event of distributing an update). When using the `SwiftService` directly, object downloads are scheduled in the same order as they appear in the container listing. When combined with a single download thread this means that objects are downloaded in lexicographically-sorted order. Setting this option to `True` gives the same shuffling behaviour as the CLI.

destination: None

When copying objects, this specifies the destination where the object will be copied to. The default of `None` means copy will be the same as source.

fresh_metadata: None

When copying objects, this specifies that the object metadata on the source will *not* be applied to the destination object - the destination object will have a new fresh set of metadata that includes *only* the metadata specified in the `meta` option if any at all.

Other available options can be found in `swiftclient/service.py` in the source code for `python-swiftclient`. Each `SwiftService` method also allows for an optional dictionary to override those specified at init time, and the appropriate docstrings show which options modify each methods behaviour.

2.3.3 Available Operations

Each operation provided by the service API may raise a `SwiftError` or `ClientException` for any call that fails completely (or a call which performs only one operation at an account or container level). In the case of a successful call an operation returns one of the following:

- A dictionary detailing the results of a single operation.
- An iterator that produces result dictionaries (for calls that perform multiple sub-operations).

A result dictionary can indicate either the success or failure of an individual operation (detailed in the `success` key), and will either contain the successful result, or an `error` key detailing the error encountered (usually an instance of `Exception`).

An example result dictionary is given below:

```
result = {
    'action': 'download_object',
    'success': True,
    'container': container,
    'object': obj,
    'path': path,
    'start_time': start_time,
    'finish_time': finish_time,
    'headers_receipt': headers_receipt,
    'auth_end_time': conn.auth_end_time,
    'read_length': bytes_read,
    'attempts': conn.attempts
}
```

All the possible `action` values are detailed below:

```
[
    'stat_account',
```

(continues on next page)

(continued from previous page)

```

'stat_container',
'stat_object',
'post_account',
'post_container',
'post_object',
'list_part',          # list yields zero or more 'list_part' results
'download_object',
'create_container',  # from upload
'create_dir_marker', # from upload
'upload_object',
'upload_segment',
'delete_container',
'delete_object',
'delete_segment',    # from delete_object operations
'capabilities',
]

```

Stat

Stat can be called against an account, a container, or a list of objects to get account stats, container stats or information about the given objects. In the first two cases a dictionary is returned containing the results of the operation, and in the case of a list of object names being supplied, an iterator over the results generated for each object is returned.

Information returned includes the amount of data used by the given object/container/account and any headers or metadata set (this includes user set data as well as content-type and modification times).

See `swiftclient.service.SwiftService.stat` for docs generated from the method docstring.

Valid calls for this method are as follows:

- `stat([options])`: Returns stats for the configured account.
- `stat(<container>, [options])`: Returns stats for the given container.
- `stat(<container>, <object_list>, [options])`: Returns stats for each of the given objects in the given container (through the returned iterator).

Results from stat are dictionaries indicating the success or failure of each operation. In the case of a successful stat against an account or container, the method returns immediately with one of the following results:

```

{
  'action': 'stat_account',
  'success': True,
  'items': items,
  'headers': headers
}

```

```

{
  'action': 'stat_container',
  'container': <container>,
  'success': True,

```

(continues on next page)

(continued from previous page)

```

'items': items,
'headers': headers
}

```

In the case of `stat` called against a list of objects, the method returns a generator that returns the results of individual object `stat` operations as they are performed on the thread pool:

```

{
  'action': 'stat_object',
  'object': <object_name>,
  'container': <container>,
  'success': True,
  'items': items,
  'headers': headers
}

```

In the case of a failure the dictionary returned will indicate that the operation was not successful, and will include the keys below:

```

{
  'action': <'stat_object' | 'stat_container' | 'stat_account'>,
  'object': <'object_name'>,      # Only for stat with objects list
  'container': <container>,      # Only for stat with objects list or
  ↪container
  'success': False,
  'error': <error>,
  'traceback': <trace>,
  'error_timestamp': <timestamp>
}

```

Example

The code below demonstrates the use of `stat` to retrieve the headers for a given list of objects in a container using 20 threads. The code creates a mapping from object name to headers which is then pretty printed to the log.

```

import logging
import pprint

from swiftclient.service import SwiftService
from sys import argv

logging.basicConfig(level=logging.ERROR)
logging.getLogger("requests").setLevel(logging.CRITICAL)
logging.getLogger("swiftclient").setLevel(logging.CRITICAL)
logger = logging.getLogger(__name__)

_opts = {'object_dd_threads': 20}
with SwiftService(options=_opts) as swift:
    container = argv[1]

```

```

objects = argv[2:]
header_data = {}
stats_it = swift.stat(container=container, objects=objects)
for stat_res in stats_it:
    if stat_res['success']:
        header_data[stat_res['object']] = stat_res['headers']
    else:
        logger.error(
            'Failed to retrieve stats for %s' % stat_res['object']
        )
pprint.pprint(header_data)

```

List

List can be called against an account or a container to retrieve the containers or objects contained within them. Each call returns an iterator that returns pages of results (by default, up to 10000 results in each page).

See `swiftclient.service.SwiftService.list` for docs generated from the method docstring.

If the given container or account does not exist, the list method will raise a `SwiftError`, but for all other success/failures a dictionary is returned. Each successfully listed page returns a dictionary as described below:

```

{
  'action': <'list_account_part' | 'list_container_part'>,
  'container': <container>,      # Only for listing a container
  'prefix': <prefix>,           # The prefix of returned objects/containers
  'success': True,
  'listing': [Item],            # A list of results
                                # (only in the event of success)
  'marker': <marker>           # The last item name in the list
                                # (only in the event of success)
}

```

Where an item contains the following keys:

```

{
  'name': <name>,
  'bytes': 10485760,
  'last_modified': '2014-12-11T12:02:38.774540',
  'hash': 'fb938269cbeabe4c234e1127bbd3b74a',
  'content_type': 'application/octet-stream',
  'meta': <metadata>          # Full metadata listing from stat'ing each object
                              # this key only exists if 'long' is specified in
↪options
}

```

Any failure listing an account or container that exists will return a failure dictionary as described below:

```

{
  'action': <'list_account_part' | 'list_container_part'>,,

```

(continues on next page)

(continued from previous page)

```

'container': container,          # Only for listing a container
'prefix': options['prefix'],
'success': success,
'marker': marker,
'error': error,
'traceback': <trace>,
'error_timestamp': <timestamp>
}

```

Example

The code below demonstrates the use of `list` to list all items in a container that are over 10MiB in size:

```

import logging

from swiftclient.service import SwiftService, SwiftError
from sys import argv

logging.basicConfig(level=logging.ERROR)
logging.getLogger("requests").setLevel(logging.CRITICAL)
logging.getLogger("swiftclient").setLevel(logging.CRITICAL)
logger = logging.getLogger(__name__)

container = argv[1]
minimum_size = 10*1024**2
with SwiftService() as swift:
    try:
        list_parts_gen = swift.list(container=container)
        for page in list_parts_gen:
            if page["success"]:
                for item in page["listing"]:

                    i_size = int(item["bytes"])
                    if i_size > minimum_size:
                        i_name = item["name"]
                        i_etag = item["hash"]
                        print(
                            "%s [size: %s] [etag: %s]" %
                            (i_name, i_size, i_etag)
                        )
            else:
                raise page["error"]

    except SwiftError as e:
        logger.error(e.value)

```

Post

Post can be called against an account, container or list of objects in order to update the metadata attached to the given items. In the first two cases a single dictionary is returned containing the results of the operation, and in the case of a list of objects being supplied, an iterator over the results generated for each object post is returned.

Each element of the object list may be a plain string of the object name, or a `SwiftPostObject` that allows finer control over the options and metadata applied to each of the individual post operations. When a string is given for the object name, the options and metadata applied are a combination of those supplied to the call to `post()` and the defaults of the `SwiftService` object.

If the given container or account does not exist, the `post` method will raise a `SwiftError`. Successful metadata update results are dictionaries as described below:

```
{
  'action': <'post_account' | 'post_container' | 'post_object'>,
  'success': True,
  'container': <container>,
  'object': <object>,
  'headers': {},
  'response_dict': <HTTP response details>
}
```

Note

Updating user metadata keys will not only add any specified keys, but will also remove user metadata that has previously been set. This means that each time user metadata is updated, the complete set of desired key-value pairs must be specified.

Example

The code below demonstrates the use of `post` to set an archive folder in a given container to expire after a 24 hour delay:

```
import logging

from swiftclient.service import SwiftService, SwiftError
from sys import argv

logging.basicConfig(level=logging.ERROR)
logging.getLogger("requests").setLevel(logging.CRITICAL)
logging.getLogger("swiftclient").setLevel(logging.CRITICAL)
logger = logging.getLogger(__name__)

container = argv[1]
with SwiftService() as swift:
    try:
        list_options = {"prefix": "archive_2016-01-01/"}
        list_parts_gen = swift.list(container=container)
        for page in list_parts_gen:
            if page["success"]:
```

```

objects = [obj["name"] for obj in page["listing"]]
post_options = {"header": "X-Delete-After:86400"}
for post_res in swift.post(
    container=container,
    objects=objects,
    options=post_options):
    if post_res['success']:
        print("Object '%s' POST success" % post_res['object
→'])
    else:
        print("Object '%s' POST failed" % post_res['object
→'])
else:
    raise page["error"]
except SwiftError as e:
    logger.error(e.value)

```

Download

Download can be called against an entire account, a single container, or a list of objects in a given container. Each element of the object list is a string detailing the full name of an object to download.

In order to download the full contents of an entire account, you must set the value of `yes_all` to `True` in the options dictionary supplied to either the `SwiftService` instance or the call to `download`.

If the given container or account does not exist, the download method will raise a `SwiftError`, otherwise an iterator over the results generated for each object download is returned.

See `swiftclient.service.SwiftService.download` for docs generated from the method docstring.

For each successfully downloaded object, the results returned by the iterator will be a dictionary as described below (results are not returned for completed container or object segment downloads):

```

{
    'action': 'download_object',
    'container': <container>,
    'object': <object name>,
    'success': True,
    'path': <local path to downloaded object>,
    'pseudodir': <if true, the download created an empty directory>,
    'start_time': <time download started>,
    'end_time': <time download completed>,
    'headers_receipt': <time the headers from the object were retrieved>,
    'auth_end_time': <time authentication completed>,
    'read_length': <bytes_read>,
    'attempts': <attempt count>,
    'response_dict': <HTTP response details>
}

```

Any failure uploading an object will return a failure dictionary as described below:

```
{
    'action': 'download_object',
    'container': <container>,
    'object': <object name>,
    'success': False,
    'path': <local path of the failed download>,
    'pseudodir': <if true, the failed download was an empty directory>,
    'attempts': <attempt count>,
    'error': <error>,
    'traceback': <trace>,
    'error_timestamp': <timestamp>,
    'response_dict': <HTTP response details>
}
```

Example

The code below demonstrates the use of `download` to download all PNG images from a dated archive folder in a given container:

```
import logging

from swiftclient.service import SwiftService, SwiftError
from sys import argv

logging.basicConfig(level=logging.ERROR)
logging.getLogger("requests").setLevel(logging.CRITICAL)
logging.getLogger("swiftclient").setLevel(logging.CRITICAL)
logger = logging.getLogger(__name__)

def is_png(obj):
    return (
        obj["name"].lower().endswith('.png') or
        obj["content_type"] == 'image/png'
    )

container = argv[1]
with SwiftService() as swift:
    try:
        list_options = {"prefix": "archive_2016-01-01/"}
        list_parts_gen = swift.list(container=container)
        for page in list_parts_gen:
            if page["success"]:
                objects = [
                    obj["name"] for obj in page["listing"] if is_png(obj)
                ]
                for down_res in swift.download(
                    container=container,
                    objects=objects):
                    if down_res['success']:
                        print("%s" % down_res['object'])
```



```

        else:
            print("%s download failed" % down_res['object'])
    else:
        raise page["error"]
except SwiftError as e:
    logger.error(e.value)

```

Upload

Upload is always called against an account and container and with a list of objects to upload. Each element of the object list may be a plain string detailing the path of the object to upload, or a `SwiftUploadObject` that allows finer control over some aspects of the individual operations.

When a simple string is supplied to specify a file to upload, the name of the object uploaded is the full path of the specified file and the options used for the upload are those supplied to the call to `upload`.

Constructing a `SwiftUploadObject` allows the user to supply an object name for the uploaded file, and modify the options used by `upload` at the granularity of individual files.

If the given container or account does not exist, the `upload` method will raise a `SwiftError`, otherwise an iterator over the results generated for each object upload is returned.

See `swiftclient.service.SwiftService.upload` for docs generated from the method docstring.

For each successfully uploaded object (or object segment), the results returned by the iterator will be a dictionary as described below:

```

{
    'action': 'upload_object',
    'container': <container>,
    'object': <object name>,
    'success': True,
    'status': <'uploaded' | 'skipped-identical' | 'skipped-changed'>,
    'attempts': <attempt count>,
    'response_dict': <HTTP response details>
}

{
    'action': 'upload_segment',
    'for_container': <container>,
    'for_object': <object name>,
    'segment_index': <segment_index>,
    'segment_size': <segment_size>,
    'segment_location': <segment_path>
    'segment_etag': <etag>,
    'log_line': <object segment n>
    'success': True,
    'response_dict': <HTTP response details>,
    'attempts': <attempt count>
}

```

Any failure uploading an object will return a failure dictionary as described below:

```

{
    'action': 'upload_object',
    'container': <container>,
    'object': <object name>,
    'success': False,
    'attempts': <attempt count>,
    'error': <error>,
    'traceback': <trace>,
    'error_timestamp': <timestamp>,
    'response_dict': <HTTP response details>
}

{
    'action': 'upload_segment',
    'for_container': <container>,
    'for_object': <object name>,
    'segment_index': <segment_index>,
    'segment_size': <segment_size>,
    'segment_location': <segment_path>,
    'log_line': <object segment n>,
    'success': False,
    'error': <error>,
    'traceback': <trace>,
    'error_timestamp': <timestamp>,
    'response_dict': <HTTP response details>,
    'attempts': <attempt count>
}

```

Example

The code below demonstrates the use of `upload` to upload all files and folders in a given directory, and rename each object by replacing the root directory name with `my-<d>-objects`, where `<d>` is the name of the uploaded directory:

```

import logging

from os import walk
from os.path import join
from swiftclient.multithreading import OutputManager
from swiftclient.service import SwiftError, SwiftService, SwiftUploadObject
from sys import argv

logging.basicConfig(level=logging.ERROR)
logging.getLogger("requests").setLevel(logging.CRITICAL)
logging.getLogger("swiftclient").setLevel(logging.CRITICAL)
logger = logging.getLogger(__name__)

_opts = {'object_uu_threads': 20}
dir = argv[1]
container = argv[2]

```

```

with SwiftService(options=_opts) as swift, OutputManager() as out_manager:
    try:
        # Collect all the files and folders in the given directory
        objs = []
        dir_markers = []
        for (_dir, _ds, _fs) in walk(dir):
            if not (_ds + _fs):
                dir_markers.append(_dir)
            else:
                objs.extend([join(_dir, _f) for _f in _fs])

        # Now that we've collected all the required files and dir markers
        # build the ``SwiftUploadObject``s for the call to upload
        objs = [
            SwiftUploadObject(
                o, object_name=o.replace(
                    dir, 'my-%s-objects' % dir, 1
                )
            ) for o in objs
        ]
        dir_markers = [
            SwiftUploadObject(
                None, object_name=d.replace(
                    dir, 'my-%s-objects' % dir, 1
                ), options={'dir_marker': True}
            ) for d in dir_markers
        ]

        # Schedule uploads on the SwiftService thread pool and iterate
        # over the results
        for r in swift.upload(container, objs + dir_markers):
            if r['success']:
                if 'object' in r:
                    print(r['object'])
                elif 'for_object' in r:
                    print(
                        '%s segment %s' % (r['for_object'],
                                           r['segment_index'])
                    )
            else:
                error = r['error']
                if r['action'] == "create_container":
                    logger.warning(
                        'Warning: failed to create container '
                        '"%s%s"', container, error
                    )
                elif r['action'] == "upload_object":
                    logger.error(
                        "Failed to upload object %s to container %s: %s" %
                        (container, r['object'], error)
                    )

```

```
        )
    else:
        logger.error("%s" % error)

except SwiftError as e:
    logger.error(e.value)
```

Delete

Delete can be called against an account or a container to remove the containers or objects contained within them. Each call to delete returns an iterator over results of each resulting sub-request.

If the number of requested delete operations is large and the target swift cluster is running the bulk middleware, the call to `SwiftService.delete` will make use of bulk operations and the returned result iterator will return `bulk_delete` results rather than individual `delete_object`, `delete_container` or `delete_segment` results.

See `swiftclient.service.SwiftService.delete` for docs generated from the method docstring.

For each successfully deleted container, object or segment, the results returned by the iterator will be a dictionary as described below:

```
{
  'action': <'delete_object'|'delete_segment'>,
  'container': <container>,
  'object': <object name>,
  'success': True,
  'attempts': <attempt count>,
  'response_dict': <HTTP response details>
}

{
  'action': 'delete_container',
  'container': <container>,
  'success': True,
  'response_dict': <HTTP response details>,
  'attempts': <attempt count>
}

{
  'action': 'bulk_delete',
  'container': <container>,
  'objects': <[objects]>,
  'success': True,
  'attempts': <attempt count>,
  'response_dict': <HTTP response details>
}
```

Any failure in a delete operation will return a failure dictionary as described below:

```
{
  'action': ('delete_object'|'delete_segment'),
```

(continues on next page)

(continued from previous page)

```

'container': <container>,
'object': <object name>,
'success': False,
'attempts': <attempt count>,
'error': <error>,
'traceback': <trace>,
'error_timestamp': <timestamp>,
'response_dict': <HTTP response details>
}

{
'action': 'delete_container',
'container': <container>,
'success': False,
'error': <error>,
'traceback': <trace>,
'error_timestamp': <timestamp>,
'response_dict': <HTTP response details>,
'attempts': <attempt count>
}

{
'action': 'bulk_delete',
'container': <container>,
'objects': <[objects]>,
'success': False,
'attempts': <attempt count>,
'error': <error>,
'traceback': <trace>,
'error_timestamp': <timestamp>,
'response_dict': <HTTP response details>
}

```

Example

The code below demonstrates the use of `delete` to remove a given list of objects from a specified container. As the objects are deleted the transaction ID of the relevant request is printed along with the object name and number of attempts required. By printing the transaction ID, the printed operations can be easily linked to events in the swift server logs:

```
import logging
```

```
from swiftclient.service import SwiftService
```

```
from sys import argv
```

```
logging.basicConfig(level=logging.ERROR)
```

```
logging.getLogger("requests").setLevel(logging.CRITICAL)
```

```
logging.getLogger("swiftclient").setLevel(logging.CRITICAL)
```

```
logger = logging.getLogger(__name__)
```

```

_opts = {'object_dd_threads': 20}
container = argv[1]
objects = argv[2:]
with SwiftService(options=_opts) as swift:
    del_iter = swift.delete(container=container, objects=objects)
    for del_res in del_iter:
        c = del_res.get('container', '')
        o = del_res.get('object', '')
        a = del_res.get('attempts')
        if del_res['success'] and not del_res['action'] == 'bulk_delete':
            rd = del_res.get('response_dict')
            if rd is not None:
                t = dict(rd.get('headers', {}))
                if t:
                    print(
                        'Successfully deleted {0}/{1} in {2} attempts '
                        '(transaction id: {3})'.format(c, o, a, t)
                    )
                else:
                    print(
                        'Successfully deleted {0}/{1} in {2} '
                        'attempts'.format(c, o, a)
                    )

```

Copy

Copy can be called to copy an object or update the metadata on the given items.

Each element of the object list may be a plain string of the object name, or a `SwiftCopyObject` that allows finer control over the options applied to each of the individual copy operations (destination, `fresh_metadata`, `options`).

Destination should be in format `/container/object`; if not set, the object will be copied onto itself. `Fresh_metadata` sets mode of operation on metadata. If not set, current object user metadata will be copied/preserved; if set, all current user metadata will be removed.

Returns an iterator over the results generated for each object copy (and may also include the results of creating destination containers).

When a string is given for the object name, destination and fresh metadata will default to `None` and `None`, which result in adding metadata to existing objects.

Successful copy results are dictionaries as described below:

```

{
    'action': 'copy_object',
    'success': True,
    'container': <container>,
    'object': <object>,
    'destination': <destination>,
    'headers': {},

```

(continues on next page)

(continued from previous page)

```
'fresh_metadata': <boolean>,
'response_dict': <HTTP response details>
}
```

Any failure in a copy operation will return a failure dictionary as described below:

```
{
  'action': 'copy_object',
  'success': False,
  'container': <container>,
  'object': <object>,
  'destination': <destination>,
  'headers': {},
  'fresh_metadata': <boolean>,
  'response_dict': <HTTP response details>,
  'error': <error>,
  'traceback': <traceback>,
  'error_timestamp': <timestamp>
}
```

Example

The code below demonstrates the use of `copy` to add new user metadata for objects a and b, and to copy object c to d (with added metadata).

```
import logging

from swiftclient.service import SwiftService, SwiftCopyObject, SwiftError

logging.basicConfig(level=logging.ERROR)
logging.getLogger("requests").setLevel(logging.CRITICAL)
logging.getLogger("swiftclient").setLevel(logging.CRITICAL)
logger = logging.getLogger(__name__)

with SwiftService() as swift:
    try:
        obj = SwiftCopyObject("c", {"destination": "/cont/d"})
        for i in swift.copy(
            "cont", ["a", "b", obj],
            {"meta": ["foo:bar"], "destination": "/cc"}):
            if i["success"]:
                if i["action"] == "copy_object":
                    print(
                        "object %s copied from %s/%s" %
                        (i["destination"], i["container"], i["object"])
                    )
                elif i["action"] == "create_container":
                    print(
                        "container %s created" % i["container"]
                    )
```

```

        else:
            if "error" in i and isinstance(i["error"], Exception):
                raise i["error"]
    except SwiftError as e:
        logger.error(e.value)

```

Capabilities

Capabilities can be called against an account or a particular proxy URL in order to determine the capabilities of the swift cluster. These capabilities include details about configuration options and the middlewares that are installed in the proxy pipeline.

See `swiftclient.service.SwiftService.capabilities` for docs generated from the method docstring.

For each successful call to list capabilities, a result dictionary will be returned with the contents described below:

```

{
    'action': 'capabilities',
    'timestamp': <time of the call>,
    'success': True,
    'capabilities': <dictionary containing capability details>
}

```

The contents of the capabilities dictionary contain the core swift capabilities under the key `swift`; all other keys show the configuration options for additional middlewares deployed in the proxy pipeline. An example capabilities dictionary is given below:

```

{
    'account_quotas': {},
    'bulk_delete': {
        'max_deletes_per_request': 10000,
        'max_failed_deletes': 1000
    },
    'bulk_upload': {
        'max_containers_per_extraction': 10000,
        'max_failed_extractions': 1000
    },
    'container_quotas': {},
    'container_sync': {'realms': {}},
    'formpost': {},
    'keystoneauth': {},
    'slo': {
        'max_manifest_segments': 1000,
        'max_manifest_size': 2097152,
        'min_segment_size': 1048576
    },
    'swift': {
        'account_autocreate': True,
        'account_listing_limit': 10000,

```

(continues on next page)

(continued from previous page)

```

'allow_account_management': True,
'container_listing_limit': 10000,
'extra_header_count': 0,
'max_account_name_length': 256,
'max_container_name_length': 256,
'max_file_size': 5368709122,
'max_header_size': 8192,
'max_meta_count': 90,
'max_meta_name_length': 128,
'max_meta_overall_size': 4096,
'max_meta_value_length': 256,
'max_object_name_length': 1024,
'policies': [
    {'default': True, 'name': 'Policy-0'}
],
'strict_cors_mode': False,
'version': '2.2.2'
},
'tempurl': {
    'methods': ['GET', 'HEAD', 'PUT']
}
}

```

Example

The code below demonstrates the use of capabilities to determine if the Swift cluster supports static large objects, and if so, the maximum number of segments that can be described in a single manifest file, along with the size restrictions on those objects:

```

import logging

from swiftclient.exceptions import ClientException
from swiftclient.service import SwiftService

logging.basicConfig(level=logging.ERROR)
logging.getLogger("requests").setLevel(logging.CRITICAL)
logging.getLogger("swiftclient").setLevel(logging.CRITICAL)
logger = logging.getLogger(__name__)

with SwiftService() as swift:
    try:
        capabilities_result = swift.capabilities()
        capabilities = capabilities_result['capabilities']
        if 'slo' in capabilities:
            print('SLO is supported')
        else:
            print('SLO is not supported')
    except ClientException as e:
        logger.error(e.value)

```

2.4 The swiftclient.Connection API

A low level API that provides methods for authentication and methods that correspond to the individual REST API calls described in the swift documentation.

For usage details see the client docs: *swiftclient.client*.

2.4.1 Authentication

This section covers the various combinations of kwargs required when creating an instance of the Connection object for communicating with a swift object store. The combinations of options required for each authentication version are detailed below, but are just a subset of those that can be used to successfully authenticate. These are the most common and recommended combinations.

Keystone Session

```
from keystoneauth1 import session
from keystoneauth1.identity import v3

# Create a password auth plugin
auth = v3.Password(auth_url='http://127.0.0.1:5000/v3/',
                  username='tester',
                  password='testing',
                  user_domain_name='Default',
                  project_name='Default',
                  project_domain_name='Default')

# Create session
keystone_session = session.Session(auth=auth)

# Create swiftclient Connection
swift_conn = Connection(session=keystone_session)
```

Keystone v3

```
_authurl = 'http://127.0.0.1:5000/v3/'
_auth_version = '3'
_user = 'tester'
_key = 'testing'
_os_options = {
    'user_domain_name': 'Default',
    'project_domain_name': 'Default',
    'project_name': 'Default'
}

conn = Connection(
    authurl=_authurl,
    user=_user,
    key=_key,
    os_options=_os_options,
    auth_version=_auth_version
)
```

Keystone v2

```

_authurl = 'http://127.0.0.1:5000/v2.0/'
_auth_version = '2'
_user = 'tester'
_key = 'testing'
_tenant_name = 'test'

conn = Connection(
    authurl=_authurl,
    user=_user,
    key=_key,
    tenant_name=_tenant_name,
    auth_version=_auth_version
)

```

Legacy Auth

```

_authurl = 'http://127.0.0.1:8080/'
_auth_version = '1'
_user = 'tester'
_key = 'testing'
_tenant_name = 'test'

conn = Connection(
    authurl=_authurl,
    user=_user,
    key=_key,
    tenant_name=_tenant_name,
    auth_version=_auth_version
)

```

2.4.2 Examples

In this section we present some simple code examples that demonstrate the usage of the `Connection` API. You can find full details of the options and methods available to the `Connection` API in the docstring generated documentation: `swiftclient.client`.

List the available containers:

```

resp_headers, containers = conn.get_account()
print("Response headers: %s" % resp_headers)
for container in containers:
    print(container)

```

Create a new container:

```

container = 'new-container'
conn.put_container(container)
resp_headers, containers = conn.get_account()
if container in containers:
    print("The container was created")

```

Create a new object with the contents of a local text file:

```
container = 'new-container'
with open('local.txt', 'r') as local:
    conn.put_object(
        container,
        'local_object.txt',
        contents=local,
        content_type='text/plain'
    )
```

Confirm presence of the object:

```
obj = 'local_object.txt'
container = 'new-container'
try:
    resp_headers = conn.head_object(container, obj)
    print('The object was successfully created')
except ClientException as e:
    if e.http_status == '404':
        print('The object was not found')
    else:
        print('An error occurred checking for the existence of the object')
```

Download the created object:

```
obj = 'local_object.txt'
container = 'new-container'
resp_headers, obj_contents = conn.get_object(container, obj)
with open('local_copy.txt', 'w') as local:
    local.write(obj_contents)
```

Delete the created object:

```
obj = 'local_object.txt'
container = 'new-container'
try:
    conn.delete_object(container, obj)
    print("Successfully deleted the object")
except ClientException as e:
    print("Failed to delete the object with error: %s" % e)
```

CODE-GENERATED DOCUMENTATION

3.1 swiftclient

OpenStack Swift Python client binding.

3.2 swiftclient.authv1

Authentication plugin for keystoneauth to support v1 endpoints.

Way back in the long-long ago, there was no Keystone. Swift used an auth mechanism now known as v1, which used only HTTP headers. Auth requests and responses would look something like:

```
> GET /auth/v1.0 HTTP/1.1
> Host: <swift server>
> X-Auth-User: <tenant>:<user>
> X-Auth-Key: <password>
>
< HTTP/1.1 200 OK
< X-Storage-Url: http://<swift server>/v1/<tenant account>
< X-Auth-Token: <token>
< X-Storage-Token: <token>
<
```

This plugin provides a way for Keystone sessions (and clients that use them, like `python-openstackclient`) to communicate with old auth endpoints that still use this mechanism, such as `tempauth`, `swauth`, or <https://identity.api.rackspacecloud.com/v1.0>

```
class swiftclient.authv1.AccessInfoV1(auth_url, storage_url, account, username,  
                                     auth_token, token_life)
```

An object for encapsulating a raw v1 auth token.

```
classmethod from_state(data)
```

Deserialize the given state.

Returns

a new `AccessInfoV1` object with the given state

```
get_state()
```

Serialize the current state.

```
will_expire_soon(stale_duration)
```

Determines if expiration is about to occur.

Returns

true if expiration is within the given duration

class swiftclient.authv1.PasswordLoader

Option handling for the v1password plugin.

property available: bool

Return if the plugin is available for loading.

If a plugin is missing dependencies or for some other reason should not be available to the current system it should override this property and return False to exclude itself from the plugin list.

Return type

bool

create_plugin(**kwargs: Any) → T

Create a plugin from the options available for the loader.

Given the options that were specified by the loader create an appropriate plugin. You can override this function in your loader.

This used to be specified by providing the plugin_class property and this is still supported, however specifying a property didnt let you choose a plugin type based upon the options that were presented.

Override this function if you wish to return different plugins based on the options presented, otherwise you can simply provide the plugin_class property.

Added 2.9

get_options()

Return the list of parameters associated with the auth plugin.

This list may be used to generate CLI or config arguments.

load_from_options(**kwargs: Any) → T

Create a plugin from the arguments retrieved from get_options.

A client can override this function to do argument validation or to handle differences between the registered options and what is required to create the plugin.

load_from_options_getter(getter: Callable[[opts.Opt], Any], **kwargs: Any) → T

Load a plugin from getter function that returns appropriate values.

To handle cases other than the provided CONF and CLI loading you can specify a custom loader function that will be queried for the option value. The getter is a function that takes a keystoneauth1.loading.Opt and returns a value to load with.

Parameters

getter (*callable*) A function that returns a value for the given opt.

Returns

An authentication Plugin.

Return type

keystoneauth1.plugin.BaseAuthPlugin

plugin_classalias of *PasswordPlugin*

```
class swiftclient.authv1.PasswordPlugin(auth_url, username, password,  
                                       project_name=None, reauthenticate=True)
```

A plugin for authenticating with a username and password.

Subclassing from BaseIdentityPlugin gets us a few niceties, like handling token invalidation and locking during authentication.

Parameters

- **auth_url** (*string*) Identity v1 endpoint for authorization.
- **username** (*string*) Username for authentication.
- **password** (*string*) Password for authentication.
- **project_name** (*string*) Swift account to use after authentication. We use project_name to be consistent with other auth plugins.
- **reauthenticate** (*string*) Whether to allow re-authentication.

access_classalias of *AccessInfoV1*

```
get_access(session: Session, **kwargs: Any) → AccessInfo
```

Fetch or return a current AccessInfo object.

If a valid AccessInfo is present then it is returned otherwise a new one will be fetched.

Parameters

session (*keystoneauth1.session.Session*) A session object that can be used for communication.

Raises

keystoneauth1.exceptions.http.HttpError An error from an invalid HTTP response.

Returns

Valid AccessInfo

Return type

keystoneauth1.access.AccessInfo

```
get_all_version_data(session: Session, interface: str = 'public', region_name: str | None =  
                    None, service_type: str | None = None) → dict[str, dict[str, dict[str,  
                    list[VersionData]]]]
```

Get version data for all services in the catalog.

Parameters

- **session** (*keystoneauth1.session.Session*) A session object that can be used for communication.
- **interface** Type of endpoint to get version data for. Can be a single value or a list of values. A value of None indicates that all interfaces should be queried. (optional, defaults to public)

- **region_name** (*string*) Region of endpoints to get version data for. A value of None indicates that all regions should be queried. (optional, defaults to None)
- **service_type** (*string*) Limit the version data to a single service. (optional, defaults to None)

Returns

A dictionary keyed by region_name with values containing dictionaries keyed by interface with values being a list of `VersionData`.

```
get_api_major_version(session: Session, *, endpoint_override: str | None = None,
                       service_type: str | None = None, interface: str | None = None,
                       region_name: str | None = None, service_name: str | None = None,
                       version: str | None = None, allow: dict[str, Any] | None = None,
                       allow_version_hack: bool = True, skip_discovery: bool = False,
                       discover_versions: bool = False, min_version: str | int | float |
                       Iterable[str | int | float] | None = None, max_version: str | int | float
                       | Iterable[str | int | float] | None = None, **kwargs: Any) →
                       tuple[int | float, ...] | None
```

Return the major API version for a service.

If a valid token is not present then a new one will be fetched using the session and kwargs.

version, min_version and max_version can all be given either as a string or a tuple.

Valid interface types: *public* or *publicURL*,
internal or *internalURL*, *admin* or *adminURL*

Parameters

- **session** (*keystoneauth1.session.Session*) A session object that can be used for communication.
- **endpoint_override** (*str*) URL to use for version discovery.
- **service_type** (*string*) The type of service to lookup the endpoint for. This plugin will return None (failure) if service_type is not provided.
- **interface** Type of endpoint. Can be a single value or a list of values. If its a list of values, they will be looked for in order of preference. Can also be *keystoneauth1.plugin.AUTH_INTERFACE* to indicate that the auth_url should be used instead of the value in the catalog. (optional, defaults to public)
- **region_name** (*string*) The region the endpoint should exist in. (optional)
- **service_name** (*string*) The name of the service in the catalog. (optional)
- **version** The minimum version number required for this endpoint. (optional)
- **allow** (*dict*) Extra filters to pass when discovering API versions. (optional)
- **allow_version_hack** (*bool*) Allow keystoneauth to hack up catalog URLs to support older schemes. (optional, default True)

- **skip_discovery** (*bool*) Whether to skip version discovery even if a version has been given. This is useful if `endpoint_override` or similar has been given and grabbing additional information about the endpoint is not useful.
- **discover_versions** (*bool*) Whether to get version metadata from the version discovery document even if its not necessary to fulfill the major version request. Defaults to False because `get_endpoint` doesnt need metadata. (optional, defaults to False)
- **min_version** The minimum version that is acceptable. Mutually exclusive with `version`. If `min_version` is given with no `max_version` it is as if `max_version` is latest. (optional)
- **max_version** The maximum version that is acceptable. Mutually exclusive with `version`. If `min_version` is given with no `max_version` it is as if `max_version` is latest. (optional)

Raises

keystoneauth1.exceptions.http.HttpError An error from an invalid HTTP response.

Returns

The major version of the API of the service discovered.

Return type

tuple or None

Note

Implementation notes follow. Users should not need to wrap their head around these implementation notes. `get_api_major_version` should do what is expected with the least possible cost while still consistently returning a value if possible.

There are many cases when major version can be satisfied without actually calling the discovery endpoint (like when the version is in the url). If the user has a cloud with the versioned endpoint `https://volume.example.com/v3` in the catalog for the `block-storage` service and they do:

```
client = adapter.Adapter(
    session,
    service_type='block-storage',
    min_version=2,
    max_version=3,
)
volume_version = client.get_api_major_version()
```

The version actually be returned with no api calls other than getting the token. For that reason, `get_api_major_version()` first calls `get_endpoint_data()` with `discover_versions=False`.

If their catalog has an unversioned endpoint `https://volume.example.com` for the `block-storage` service and they do this:

```
client = adapter.Adapter(session, service_type='block-storage')
```

client is now set up to use whatever is in the catalog. Since the url doesnt have a version, `get_endpoint_data()` with `discover_versions=False` will result in `api_version=None`. (No version was requested so it didnt need to do the round trip)

In order to find out what version the endpoint actually is, we must make a round trip. Therefore, if `api_version` is `None` after the first call, `get_api_major_version()` will make a second call to `get_endpoint_data()` with `discover_versions=True`.

get_auth_ref(*session*, ***kwargs*)

Obtain a token from a v1 endpoint.

This function should not be called independently and is expected to be invoked via the `do_authenticate` function.

This function will be invoked if the `AccessInfo` object cached by the plugin is not valid. Thus plugins should always fetch a new `AccessInfo` when invoked. If you are looking to just retrieve the current auth data then you should use `get_access`.

Parameters

session A session object that can be used for communication.

Returns

Token access information.

get_auth_state()

Retrieve the current authentication state for the plugin.

Returns

raw python data (which can be JSON serialized) that can be moved into another plugin (of the same type) to have the same authenticated state.

get_cache_id() → str | None

Fetch an identifier that uniquely identifies the auth options.

The returned identifier need not be decomposable or otherwise provide any way to recreate the plugin.

This string **MUST** change if any of the parameters that are used to uniquely identity this plugin change. It should not change upon a reauthentication of the plugin.

Returns

A unique string for the set of options

Return type

str or None if this is unsupported or unavailable.

get_cache_id_elements()

Get the elements for this auth plugin that make it unique.

get_connection_params(*session: ks_session.Session*) → ConnectionParams

Return any additional connection parameters required for the plugin.

Parameters

session (*keystoneauth1.session.Session*) The session object that the `auth_plugin` belongs to.

Returns

Parameters that are passed to the requests library. Only the `cert` and `verify` parameters may be returned.

Return type

dict

get_discovery(**args*, ***kwargs*)

Return the discovery object for a URL.

Check the session and the plugin cache to see if we have already performed discovery on the URL and if so return it, otherwise create a new discovery object, cache it and return it.

This function is expected to be used by subclasses and should not be needed by users.

Parameters

- **session** (*keystoneauth1.session.Session*) A session object to discover with.
- **url** (*str*) The url to lookup.
- **authenticated** (*bool*) Include a token in the discovery call. (optional) Defaults to None (use a token if a plugin is installed).

Raises

- **keystoneauth1.exceptions.discovery.DiscoveryFailure** if for some reason the lookup fails.
- **keystoneauth1.exceptions.http.HttpError** An error from an invalid HTTP response.

Returns

A discovery object with the results of looking up that URL.

get_endpoint(*session*, *interface='public'*, ***kwargs*)

Return an endpoint for the client.

get_endpoint_data(*session: Session*, ***, *endpoint_override: str | None = None*,
discover_versions: bool = True, *service_type: str | None = None*,
interface: str | None = None, *region_name: str | None = None*,
service_name: str | None = None, *allow: dict[str, Any] | None = None*,
allow_version_hack: bool = True, *skip_discovery: bool = False*,
min_version: str | int | float | Iterable[str | int | float] | None = None,
max_version: str | int | float | Iterable[str | int | float] | None = None,
***kwargs: Any*) → *EndpointData | None*

Return a valid endpoint data for a service.

If a valid token is not present then a new one will be fetched using the session and kwargs.

version, min_version and max_version can all be given either as a string or a tuple.

Valid interface types: *public* or *publicURL*,
internal or *internalURL*, *admin* or *adminURL*

Parameters

- **session** (*keystoneauth1.session.Session*) A session object that can be used for communication.

- **endpoint_override** (*str*) URL to use instead of looking in the catalog. Catalog lookup will be skipped, but version discovery will be run. Sets `allow_version_hack` to `False` (optional)
- **discover_versions** (*bool*) Whether to get version metadata from the version discovery document even if its not necessary to fulfill the major version request. (optional, defaults to `True`)
- **service_type** (*string*) The type of service to lookup the endpoint for. This plugin will return `None` (failure) if `service_type` is not provided.
- **interface** Type of endpoint. Can be a single value or a list of values. If its a list of values, they will be looked for in order of preference. Can also be `keystoneauth1.plugin.AUTH_INTERFACE` to indicate that the `auth_url` should be used instead of the value in the catalog. (optional, defaults to `public`)
- **region_name** (*string*) The region the endpoint should exist in. (optional)
- **service_name** (*string*) The name of the service in the catalog. (optional)
- **allow** (*dict*) Extra filters to pass when discovering API versions. (optional)
- **allow_version_hack** (*bool*) Allow keystoneauth to hack up catalog URLs to support older schemes. (optional, default `True`)
- **skip_discovery** (*bool*) Whether to skip version discovery even if a version has been given. This is useful if `endpoint_override` or similar has been given and grabbing additional information about the endpoint is not useful.
- **min_version** The minimum version that is acceptable. Mutually exclusive with `version`. If `min_version` is given with no `max_version` it is as if `max_version` is latest. (optional)
- **max_version** The maximum version that is acceptable. Mutually exclusive with `version`. If `min_version` is given with no `max_version` it is as if `max_version` is latest. (optional)
- **kwargs** Ignored.

Raises

keystoneauth1.exceptions.http.HttpError An error from an invalid HTTP response.

Returns

Valid `EndpointData` or `None` if not available.

Return type

`keystoneauth1.discover.EndpointData` or `None`

get_headers (*session: ks_session.Session*) → `dict[str, str] | None`

Fetch authentication headers for message.

This is a more generalized replacement of the older `get_token` to allow plugins to specify different or additional authentication headers to the OpenStack standard `X-Auth-Token` header.

How the authentication headers are obtained is up to the plugin. If the headers are still valid they may be re-used, retrieved from cache or the plugin may invoke an authentication request against a server.

The default implementation of `get_headers` calls the `get_token` method to enable older style plugins to continue functioning unchanged. Subclasses should feel free to completely override this function to provide the headers that they want.

Returning `None` will indicate that no token was able to be retrieved and that authorization was a failure. Adding no authentication data can be achieved by returning an empty dictionary.

Parameters

session (*keystoneauth1.session.Session*) The session object that the `auth_plugin` belongs to.

Returns

Headers that are set to authenticate a message or `None` for failure. Note that when checking this value that the empty dict is a valid, non-failure response.

Return type

dict

get_project_id(*session: Session*) → str | None

Return the project id that we are authenticated to.

Wherever possible the project id should be inferred from the token however there are certain URLs and other places that require access to the currently authenticated project id.

Parameters

session (*keystoneauth1.session.Session*) A session object so the plugin can make HTTP calls.

Returns

A project identifier or `None` if one is not available.

Return type

str

get_sp_auth_url(*args, **kwargs)

Return `auth_url` from the Service Provider object.

This url is used for obtaining unscoped federated token from remote cloud.

Parameters

sp_id (*string*) ID of the Service Provider to be queried.

Returns

A Service Provider `auth_url` or `None` if one is not available.

Return type

str

get_sp_url(*args, **kwargs)

Return `sp_url` from the Service Provider object.

This url is used for passing SAML2 assertion to the remote cloud.

Parameters

sp_id (*str*) ID of the Service Provider to be queried.

Returns

A Service Provider `sp_url` or `None` if one is not available.

Return type

str

get_token(*session: Session*) → str | None

Return a valid auth token.

If a valid token is not present then a new one will be fetched.

Parameters

session (*keystoneauth1.session.Session*) A session object that can be used for communication.

Raises

keystoneauth1.exceptions.http.HttpError An error from an invalid HTTP response.

Returns

A valid token.

Return type

string

get_user_id(*session: Session*) → str | None

Return a unique user identifier of the plugin.

Wherever possible the user id should be inferred from the token however there are certain URLs and other places that require access to the currently authenticated user id.

Parameters

session (*keystoneauth1.session.Session*) A session object so the plugin can make HTTP calls.

Returns

A user identifier or None if one is not available.

Return type

str

invalidate() → bool

Invalidate the current authentication data.

This should result in fetching a new token on next call.

A plugin may be invalidated if an Unauthorized HTTP response is returned to indicate that the token may have been revoked or is otherwise now invalid.

Returns

True if there was something that the plugin did to invalidate. This means that it makes sense to try again. If nothing happens returns False to indicate give up.

Return type

bool

set_auth_state(*data*)

Install existing authentication state for a plugin.

Take the output of `get_auth_state` and install that authentication state into the current authentication plugin.

3.3 swiftclient.client

OpenStack Swift client library used internally

```
class swiftclient.client.Connection(authurl=None, user=None, key=None, retries=5,
                                     preauthurl=None, preauthtoken=None, snet=False,
                                     starting_backoff=1, max_backoff=64,
                                     tenant_name=None, os_options=None,
                                     auth_version='1', cacert=None, insecure=False,
                                     cert=None, cert_key=None, ssl_compression=True,
                                     retry_on_ratelimit=True, timeout=None, session=None,
                                     force_auth_retry=False)
```

Convenience class to make requests that will also retry the request

Requests will have an X-Auth-Token header whose value is either the preauthtoken or a token obtained from the auth service using the user credentials provided as args to the constructor. If `os_options` includes a `service_username` then requests will also have an X-Service-Token header whose value is a token obtained from the auth service using the service credentials. In this case the request url will be set to the `storage_url` obtained from the auth service for the service user, unless this is overridden by a `preauthurl`.

Parameters

- **authurl** authentication URL
- **user** user name to authenticate as
- **key** key/password to authenticate with
- **retries** Number of times to retry the request before failing
- **preauthurl** storage URL (if you have already authenticated)
- **preauthtoken** authentication token (if you have already authenticated) note `authurl/user/key/tenant_name` are not required when specifying `preauthtoken`
- **snet** use SERVICENET internal network default is False
- **starting_backoff** initial delay between retries (seconds)
- **max_backoff** maximum delay between retries (seconds)
- **auth_version** OpenStack auth version, default is 1.0
- **tenant_name** The tenant/account name, required when connecting to an auth 2.0 system.
- **os_options** The OpenStack options which can have `tenant_id`, `auth_token`, `service_type`, `endpoint_type`, `tenant_name`, `object_storage_url`, `region_name`, `service_username`, `service_project_name`, `service_key`
- **insecure** Allow to access servers without checking SSL certs. The servers certificate will not be verified.
- **cert** Client certificate file to connect on SSL server requiring SSL client certificate.
- **cert_key** Client certificate private key file.

- **ssl_compression** Whether to enable compression at the SSL layer. If set to False and the pyOpenSSL library is present an attempt to disable SSL compression will be made. This may provide a performance increase for https upload/download operations.
- **retry_on_ratelimit** by default, a ratelimited connection will retry after a backoff. Setting this parameter to False will cause an exception to be raised to the caller.
- **timeout** The connect timeout for the HTTP connection.
- **session** A keystoneauth session object.
- **force_auth_retry** reset auth info even if client got unexpected error except 401 Unauthorized.

copy_object(*container, obj, destination=None, headers=None, fresh_metadata=None, response_dict=None*)

Wrapper for [copy_object\(\)](#)

delete_container(*container, response_dict=None, query_string=None, headers={}*)

Wrapper for [delete_container\(\)](#)

delete_object(*container, obj, query_string=None, response_dict=None, headers=None*)

Wrapper for [delete_object\(\)](#)

get_account(*marker=None, limit=None, prefix=None, end_marker=None, full_listing=False, headers=None, delimiter=None*)

Wrapper for [get_account\(\)](#)

get_container(*container, marker=None, limit=None, prefix=None, delimiter=None, end_marker=None, version_marker=None, path=None, full_listing=False, headers=None, query_string=None*)

Wrapper for [get_container\(\)](#)

get_object(*container, obj, resp_chunk_size=None, query_string=None, response_dict=None, headers=None*)

Wrapper for [get_object\(\)](#)

head_account(*headers=None*)

Wrapper for [head_account\(\)](#)

head_container(*container, headers=None*)

Wrapper for [head_container\(\)](#)

head_object(*container, obj, headers=None, query_string=None*)

Wrapper for [head_object\(\)](#)

post_account(*headers, response_dict=None, query_string=None, data=None*)

Wrapper for [post_account\(\)](#)

post_container(*container, headers, response_dict=None*)

Wrapper for [post_container\(\)](#)

post_object(*container, obj, headers, response_dict=None*)

Wrapper for [post_object\(\)](#)

put_container(*container, headers=None, response_dict=None, query_string=None*)

Wrapper for `put_container()`

put_object(*container, obj, contents, content_length=None, etag=None, chunk_size=None, content_type=None, headers=None, query_string=None, response_dict=None*)

Wrapper for `put_object()`

```
swiftclient.client.LOGGER_SENSITIVE_HEADERS = ['x-auth-token', 'x-auth-key',
'x-service-token', 'x-storage-token', 'x-account-meta-temp-url-key',
'x-account-meta-temp-url-key-2', 'x-container-meta-temp-url-key',
'x-container-meta-temp-url-key-2', 'set-cookie']
```

A list of sensitive headers to redact in logs. Note that when extending this list, the header names must be added in all lower case.

class `swiftclient.client.LowerKeyCaseInsensitiveDict`(*data=None, **kwargs*)

CaseInsensitiveDict returning lower case keys for items()

clear() → None. Remove all items from D.

get(*k[, d]*) → D[k] if k in D, else d. d defaults to None.

items() → a set-like object providing a view on D's items

keys() → a set-like object providing a view on D's keys

lower_items()

Like `iteritems()`, but with all lowercase keys.

pop(*k[, d]*) → v, remove specified key and return the corresponding value.

If key is not found, d is returned if given, otherwise `KeyError` is raised.

popitem() → (k, v), remove and return some (key, value) pair as a 2-tuple; but raise `KeyError` if D is empty.

setdefault(*k[, d]*) → D.get(k,d), also set D[k]=d if k not in D

update(*[E,]**F*) → None. Update D from mapping/iterable E and F.

If E present and has a `.keys()` method, does: for k in E: D[k] = E[k] If E present and lacks `.keys()` method, does: for (k, v) in E: D[k] = v In either case, this is followed by: for k, v in F.items(): D[k] = v

values() → an object providing a view on D's values

```
swiftclient.client.copy_object(url, token, container, name, destination=None,
headers=None, fresh_metadata=None, http_conn=None,
response_dict=None, service_token=None)
```

Copy object

Parameters

- **url** storage URL
- **token** auth token; if None, no token will be sent
- **container** container name that the source object is in
- **name** source object name

- **destination** The container and object name of the destination object in the form of /container/object; if None, the copy will use the source as the destination.
- **headers** additional headers to include in the request
- **fresh_metadata** Enables object creation that omits existing user metadata, default None
- **http_conn** HTTP connection object (If None, it will create the conn object)
- **response_dict** an optional dictionary into which to place the response - status, reason and headers
- **service_token** service auth token

Raises

ClientException HTTP COPY request failed

```
swiftclient.client.delete_container(url, token, container, http_conn=None,  
                                   response_dict=None, service_token=None,  
                                   query_string=None, headers=None)
```

Delete a container

Parameters

- **url** storage URL
- **token** auth token
- **container** container name to delete
- **http_conn** a tuple of (parsed url, HTTPConnection object), (If None, it will create the conn object)
- **response_dict** an optional dictionary into which to place the response - status, reason and headers
- **service_token** service auth token
- **query_string** if set will be appended with ? to generated path
- **headers** additional headers to include in the request

Raises

ClientException HTTP DELETE request failed

```
swiftclient.client.delete_object(url, token=None, container=None, name=None,  
                                 http_conn=None, headers=None, proxy=None,  
                                 query_string=None, response_dict=None,  
                                 service_token=None)
```

Delete object

Parameters

- **url** storage URL
- **token** auth token; if None, no token will be sent
- **container** container name that the object is in; if None, the container name is expected to be part of the url

- **name** object name to delete; if None, the object name is expected to be part of the url
- **http_conn** a tuple of (parsed url, HTTPConnection object), (If None, it will create the conn object)
- **headers** additional headers to include in the request
- **proxy** proxy to connect through, if any; None by default; str of the format `http://127.0.0.1:8888` to set one
- **query_string** if set will be appended with ? to generated path
- **response_dict** an optional dictionary into which to place the response - status, reason and headers
- **service_token** service auth token

Raises

ClientException HTTP DELETE request failed

`swiftclient.client.encode_meta_headers(headers)`

Only encode metadata headers keys

`swiftclient.client.get_account(url, token, marker=None, limit=None, prefix=None, end_marker=None, http_conn=None, full_listing=False, service_token=None, headers=None, delimiter=None)`

Get a listing of containers for the account.

Parameters

- **url** storage URL
- **token** auth token
- **marker** marker query
- **limit** limit query
- **prefix** prefix query
- **end_marker** end_marker query
- **http_conn** a tuple of (parsed url, HTTPConnection object), (If None, it will create the conn object)
- **full_listing** if True, return a full listing, else returns a max of 10000 listings
- **service_token** service auth token
- **headers** additional headers to include in the request
- **delimiter** delimiter query

Returns

a tuple of (response headers, a list of containers) The response headers will be a dict and all header names will be lowercase.

Raises

ClientException HTTP GET request failed

`swiftclient.client.get_auth(auth_url, user, key, **kwargs)`

Get authentication/authorization credentials.

Parameters

- **auth_version** the api version of the supplied auth params
- **os_options** a dict, the openstack identity service options

Returns

a tuple, (storage_url, token)

N.B. if the optional `os_options` parameter includes a non-empty `object_storage_url` key it will override the default storage url returned by the auth service.

The `snet` parameter is used for Rackspace ServiceNet internal network implementation. In this function, it simply adds `snet-` to the beginning of the host name for the returned storage URL. With Rackspace Cloud Files, use of this network path causes no bandwidth charges but requires the client to be running on Rackspace ServiceNet network.

`swiftclient.client.get_auth_keystone(auth_url, user, key, os_options, **kwargs)`

Authenticate against a keystone server.

We are using the `keystoneclient` library for authentication.

`swiftclient.client.get_capabilities(http_conn)`

Get cluster capability infos.

Parameters

http_conn a tuple of (parsed url, HTTPConnection object)

Returns

a dict containing the cluster capabilities

Raises

ClientException HTTP Capabilities GET failed

`swiftclient.client.get_container(url, token, container, marker=None, limit=None, prefix=None, delimiter=None, end_marker=None, version_marker=None, path=None, http_conn=None, full_listing=False, service_token=None, headers=None, query_string=None)`

Get a listing of objects for the container.

Parameters

- **url** storage URL
- **token** auth token
- **container** container name to get a listing for
- **marker** marker query
- **limit** limit query
- **prefix** prefix query
- **delimiter** string to delimit the queries on
- **end_marker** marker query

- **version_marker** version marker query
- **path** path query (equivalent: delimiter=/ and prefix=path/)
- **http_conn** a tuple of (parsed url, HTTPConnection object), (If None, it will create the conn object)
- **full_listing** if True, return a full listing, else returns a max of 10000 listings
- **service_token** service auth token
- **headers** additional headers to include in the request
- **query_string** if set will be appended with ? to generated path

Returns

a tuple of (response headers, a list of objects) The response headers will be a dict and all header names will be lowercase.

Raises

ClientException HTTP GET request failed

```
swiftclient.client.get_object(url, token, container, name, http_conn=None,
                             resp_chunk_size=None, query_string=None,
                             response_dict=None, headers=None, service_token=None)
```

Get an object

Parameters

- **url** storage URL
- **token** auth token
- **container** container name that the object is in
- **name** object name to get
- **http_conn** a tuple of (parsed url, HTTPConnection object), (If None, it will create the conn object and close it after all content is read)
- **resp_chunk_size** if defined, chunk size of data to read. NOTE: If you specify a resp_chunk_size you must fully read the objects contents before making another request.
- **query_string** if set will be appended with ? to generated path
- **response_dict** an optional dictionary into which to place the response - status, reason and headers
- **headers** an optional dictionary with additional headers to include in the request
- **service_token** service auth token

Returns

a tuple of (response headers, the objects contents) The response headers will be a dict and all header names will be lowercase.

Raises

ClientException HTTP GET request failed

`swiftclient.client.head_account`(*url, token, http_conn=None, headers=None, service_token=None*)

Get account stats.

Parameters

- **url** storage URL
- **token** auth token
- **http_conn** a tuple of (parsed url, HTTPConnection object), (If None, it will create the conn object)
- **headers** additional headers to include in the request
- **service_token** service auth token

Returns

a dict containing the responses headers (all header names will be lowercase)

Raises

ClientException HTTP HEAD request failed

`swiftclient.client.head_container`(*url, token, container, http_conn=None, headers=None, service_token=None*)

Get container stats.

Parameters

- **url** storage URL
- **token** auth token
- **container** container name to get stats for
- **http_conn** a tuple of (parsed url, HTTPConnection object), (If None, it will create the conn object)
- **headers** additional headers to include in the request
- **service_token** service auth token

Returns

a dict containing the responses headers (all header names will be lowercase)

Raises

ClientException HTTP HEAD request failed

`swiftclient.client.head_object`(*url, token, container, name, http_conn=None, service_token=None, headers=None, query_string=None*)

Get object info

Parameters

- **url** storage URL
- **token** auth token
- **container** container name that the object is in
- **name** object name to get info for

- **http_conn** a tuple of (parsed url, HTTPConnection object), (If None, it will create the conn object)
- **service_token** service auth token
- **headers** additional headers to include in the request

Returns

a dict containing the responses headers (all header names will be lowercase)

Raises

ClientException HTTP HEAD request failed

```
swiftclient.client.http_connection(*arg, **kwarg)
```

Returns

tuple of (parsed url, connection object)

```
swiftclient.client.logger_settings = {'redact_sensitive_headers': True,
'reveal_sensitive_prefix': 16}
```

Default behaviour is to redact header values known to contain secrets, such as X-Auth-Key and X-Auth-Token. Up to the first 16 chars may be revealed.

To disable, set the value of `redact_sensitive_headers` to `False`.

When header redaction is enabled, `reveal_sensitive_prefix` configures the maximum length of any sensitive header data sent to the logs. If the header is less than twice this length, only `int(len(value)/2)` chars will be logged; if it is less than 15 chars long, even less will be logged.

```
swiftclient.client.post_account(url, token, headers, http_conn=None, response_dict=None,
service_token=None, query_string=None, data=None)
```

Update an accounts metadata.

Parameters

- **url** storage URL
- **token** auth token
- **headers** additional headers to include in the request
- **http_conn** a tuple of (parsed url, HTTPConnection object), (If None, it will create the conn object)
- **response_dict** an optional dictionary into which to place the response - status, reason and headers
- **service_token** service auth token
- **query_string** if set will be appended with ? to generated path
- **data** an optional message body for the request

Raises

ClientException HTTP POST request failed

Returns

resp_headers, body

`swiftclient.client.post_container(url, token, container, headers, http_conn=None, response_dict=None, service_token=None)`

Update a containers metadata.

Parameters

- **url** storage URL
- **token** auth token
- **container** container name to update
- **headers** additional headers to include in the request
- **http_conn** a tuple of (parsed url, HTTPConnection object), (If None, it will create the conn object)
- **response_dict** an optional dictionary into which to place the response - status, reason and headers
- **service_token** service auth token

Raises

ClientException HTTP POST request failed

`swiftclient.client.post_object(url, token, container, name, headers, http_conn=None, response_dict=None, service_token=None)`

Update object metadata

Parameters

- **url** storage URL
- **token** auth token
- **container** container name that the object is in
- **name** name of the object to update
- **headers** additional headers to include in the request
- **http_conn** a tuple of (parsed url, HTTPConnection object), (If None, it will create the conn object)
- **response_dict** an optional dictionary into which to place the response - status, reason and headers
- **service_token** service auth token

Raises

ClientException HTTP POST request failed

`swiftclient.client.put_container(url, token, container, headers=None, http_conn=None, response_dict=None, service_token=None, query_string=None)`

Create a container

Parameters

- **url** storage URL
- **token** auth token

- **container** container name to create
- **headers** additional headers to include in the request
- **http_conn** a tuple of (parsed url, HTTPConnection object), (If None, it will create the conn object)
- **response_dict** an optional dictionary into which to place the response - status, reason and headers
- **service_token** service auth token
- **query_string** if set will be appended with ? to generated path

Raises

ClientException HTTP PUT request failed

```
swiftclient.client.put_object(url, token=None, container=None, name=None,
                              contents=None, content_length=None, etag=None,
                              chunk_size=None, content_type=None, headers=None,
                              http_conn=None, proxy=None, query_string=None,
                              response_dict=None, service_token=None)
```

Put an object

Parameters

- **url** storage URL
- **token** auth token; if None, no token will be sent
- **container** container name that the object is in; if None, the container name is expected to be part of the url
- **name** object name to put; if None, the object name is expected to be part of the url
- **contents** a string, a file-like object or an iterable to read object data from; if None, a zero-byte put will be done
- **content_length** value to send as content-length header; also limits the amount read from contents; if None, it will be computed via the contents or chunked transfer encoding will be used
- **etag** etag of contents; if None, no etag will be sent
- **chunk_size** chunk size of data to write; it defaults to 65536; used only if the contents object has a read method, e.g. file-like objects, ignored otherwise
- **content_type** value to send as content-type header, overriding any value included in the headers param; if None and no value is found in the headers param, an empty string value will be sent
- **headers** additional headers to include in the request, if any
- **http_conn** a tuple of (parsed url, HTTPConnection object), (If None, it will create the conn object)
- **proxy** proxy to connect through, if any; None by default; str of the format <http://127.0.0.1:8888> to set one
- **query_string** if set will be appended with ? to generated path

- **response_dict** an optional dictionary into which to place the response - status, reason and headers
- **service_token** service auth token

Returns

etag

Raises

ClientException HTTP PUT request failed

`swiftclient.client.safe_value(name, value)`

Only show up to `logger_settings[reveal_sensitive_prefix]` characters from a sensitive header.

Parameters

- **name** Header name
- **value** Header value

Returns

Safe header value

`swiftclient.client.scrub_headers(headers)`

Redact header values that can contain sensitive information that should not be logged.

Parameters

headers Either a dict or an iterable of two-element tuples

Returns

Safe dictionary of headers with sensitive information removed

`swiftclient.client.store_response(resp, response_dict)`

store information about an operation into a dict

Parameters

- **resp** an http response object containing the response headers
- **response_dict** a dict into which are placed the status, reason and a dict of lower-cased headers

3.4 swiftclient.service

class `swiftclient.service.SwiftCopyObject(object_name, options=None)`

Class for specifying an object copy, allowing the destination/headers/metadata/fresh_metadata to be specified separately for each individual object. destination and fresh_metadata should be set in options

class `swiftclient.service.SwiftDeleteObject(object_name, options=None)`

Class for specifying an object delete, allowing the headers/metadata to be specified separately for each individual object.

exception `swiftclient.service.SwiftError(value, container=None, obj=None, segment=None, exc=None, transaction_id=None)`

with_traceback()

Exception.with_traceback(tb) set self.__traceback__ to tb and return self.

class swiftclient.service.SwiftPostObject(*object_name, options=None*)

Class for specifying an object post, allowing the headers/metadata to be specified separately for each individual object.

class swiftclient.service.SwiftService(*options=None*)

Service for performing swift operations

capabilities(*url=None, refresh_cache=False*)

List the cluster capabilities.

Parameters

url Proxy URL of the cluster to retrieve capabilities.

Returns

A dictionary containing the capabilities of the cluster.

Raises

ClientException

copy(*container, objects, options=None*)

Copy operations on a list of objects in a container. Destination containers will be created.

Parameters

- **container** The container from which to copy the objects.
- **objects** A list of object names (strings) or SwiftCopyObject instances containing an object name and an options dict (can be None) to override the options for that individual copy operation:

```
[
    'object_name',
    SwiftCopyObject(
        'object_name',
        options={
            'destination': '/container/object',
            'fresh_metadata': False,
            ...
        }
    ),
    ...
]
```

The options dict is described below.

- **options** A dictionary containing options to override the global options specified during the service object creation. These options are applied to all copy operations performed by this call, unless overridden on a per object basis. The options destination and fresh_metadata do not need to be set, in this case objects will be copied onto themselves and metadata will not be refreshed. The option destination can also be specified in the format /container, in which case objects without an explicit destination will be copied to the destination /container/original_object_name. Combinations of multiple

objects and a destination in the format `/container/object` is invalid. Possible options are given below:

```
{
    'meta': [],
    'header': [],
    'destination': '/container/object',
    'fresh_metadata': False,
}
```

Returns

A generator returning the results of copying the given list of objects.

Raises

SwiftError

delete(*container=None, objects=None, options=None*)

Delete operations on an account, optional container and optional list of objects.

Parameters

- **container** The container to delete or delete from.
- **objects** A list of object names (strings) or `SwiftDeleteObject` instances containing an object name, and an options dict (can be `None`) to override the options for that individual delete operation:

```
[
    'object_name',
    SwiftDeleteObject('object_name',
                      options={...}),
    ...
]
```

The options dict is described below.

- **options** A dictionary containing options to override the global options specified during the service object creation:

```
{
    'yes_all': False,
    'leave_segments': False,
    'version_id': None,
    'prefix': None,
    'versions': False,
    'header': [],
}
```

Returns

A generator for returning the results of the delete operations. Each result yielded from the generator is either a `delete_container`, `delete_object`, `delete_segment`, or `bulk_delete` dictionary containing the results of an individual delete operation.

Raises

- *ClientException*
- *SwiftError*

download(*container=None, objects=None, options=None*)

Download operations on an account, optional container and optional list of objects.

Parameters

- **container** The container to download from.
- **objects** A list of object names to download (a list of strings).
- **options** A dictionary containing options to override the global options specified during the service object creation:

```
{
    'yes_all': False,
    'marker': '',
    'prefix': None,
    'no_download': False,
    'header': [],
    'skip_identical': False,
    'version_id': None,
    'out_directory': None,
    'checksum': True,
    'out_file': None,
    'remove_prefix': False,
    'shuffle' : False
}
```

Returns

A generator for returning the results of the download operations. Each result yielded from the generator is a `download_object` dictionary containing the results of an individual file download.

Raises

- *ClientException*
- *SwiftError*

list(*container=None, options=None*)

List operations on an account, container.

Parameters

- **container** The container to make the list operation against.
- **options** A dictionary containing options to override the global options specified during the service object creation:

```
{
    'long': False,
    'prefix': None,
    'delimiter': None,
    'versions': False,
```

(continues on next page)

(continued from previous page)

```
'header': []
}
```

Returns

A generator for returning the results of the list operation on an account or container. Each result yielded from the generator is either a `list_account_part` or `list_container_part`, containing part of the listing.

post(*container=None, objects=None, options=None*)

Post operations on an account, container or list of objects

Parameters

- **container** The container to make the post operation against.
- **objects** A list of object names (strings) or `SwiftPostObject` instances containing an object name, and an options dict (can be `None`) to override the options for that individual post operation:

```
[
    'object_name',
    SwiftPostObject('object_name', options={...}),
    ...
]
```

The options dict is described below.

- **options** A dictionary containing options to override the global options specified during the service object creation. These options are applied to all post operations performed by this call, unless overridden on a per object basis. Possible options are given below:

```
{
    'meta': [],
    'header': [],
    'read_acl': None, # For containers only
    'write_acl': None, # For containers only
    'sync_to': None, # For containers only
    'sync_key': None # For containers only
}
```

Returns

Either a single result dictionary in the case of a post to a container/account, or an iterator for returning the results of posts to a list of objects.

Raises

SwiftError

stat(*container=None, objects=None, options=None*)

Get account stats, container stats or information about a list of objects in a container.

Parameters

- **container** The container to query.

- **objects** A list of object paths about which to return information (a list of strings).
- **options** A dictionary containing options to override the global options specified during the service object creation. These options are applied to all stat operations performed by this call:

```
{
    'human': False,
    'version_id': None,
    'header': []
}
```

Returns

Either a single dictionary containing stats about an account or container, or an iterator for returning the results of the stat operations on a list of objects.

Raises

SwiftError

upload(*container*, *objects*, *options=None*)

Upload a list of objects to a given container.

Parameters

- **container** The container (or pseudo-folder path) to put the uploads into.
- **objects** A list of file/directory names (strings) or `SwiftUploadObject` instances containing a source for the created object, an object name, and an options dict (can be `None`) to override the options for that individual upload operation:

```
[
    '/path/to/file',
    SwiftUploadObject('/path', object_name='obj1'),
    ...
]
```

The options dict is as described below.

The `SwiftUploadObject` source may be one of:

- A file-like object (with a read method)
- A string containing the path to a local file or directory
- `None`, to indicate that we want an empty object
- **options** A dictionary containing options to override the global options specified during the service object creation. These options are applied to all upload operations performed by this call, unless overridden on a per object basis. Possible options are given below:

```
{
    'meta': [],
    'header': [],
}
```

(continues on next page)

(continued from previous page)

```
'segment_size': None,
'use_slo': True,
'segment_container': None,
'leave_segments': False,
'changed': None,
'skip_identical': False,
'skip_container_put': False,
'fail_fast': False,
'dir_marker': False # Only for None sources
}
```

Returns

A generator for returning the results of the uploads.

Raises

- *SwiftError*
- *ClientException*

class swiftclient.service.**SwiftUploadObject**(*source, object_name=None, options=None*)

Class for specifying an object upload, allowing the object source, name and options to be specified separately for each individual object.

swiftclient.service.**get_conn**(*options*)

Return a connection building it from the options.

swiftclient.service.**split_headers**(*options, prefix=""*)

Splits Key: Value strings and returns them as a dictionary.

Parameters

- **options** Must be one of: * an iterable of Key: Value strings * an iterable of (Key, Value) pairs * a dict of {Key: Value} pairs
- **prefix** String to prepend to all of the keys in the dictionary. reporting.

3.5 swiftclient.exceptions

exception swiftclient.exceptions.**ClientException**(*msg, http_scheme="", http_host="", http_port="", http_path="", http_query="", http_status=None, http_reason="", http_device="", http_response_content="", http_response_headers=None*)

with_traceback()

Exception.with_traceback(tb) set self.__traceback__ to tb and return self.

3.6 swiftclient.multithreading

3.7 swiftclient.utils

Miscellaneous utility functions for use with Swift.

class `swiftclient.utils.JSONableIterable`(*iterable*)

append(*object*, /)

Append object to the end of the list.

clear()

Remove all items from list.

copy()

Return a shallow copy of the list.

count(*value*, /)

Return number of occurrences of value.

extend(*iterable*, /)

Extend list by appending elements from the iterable.

index(*value*, *start*=0, *stop*=9223372036854775807, /)

Return first index of value.

Raises `ValueError` if the value is not present.

insert(*index*, *object*, /)

Insert object before index.

pop(*index*=-1, /)

Remove and return item at index (default last).

Raises `IndexError` if list is empty or index is out of range.

remove(*value*, /)

Remove first occurrence of value.

Raises `ValueError` if the value is not present.

reverse()

Reverse *IN PLACE*.

sort(* , *key*=None, *reverse*=False)

Sort the list in ascending order and return None.

The sort is in-place (i.e. the list itself is modified) and stable (i.e. the order of two equal elements is maintained).

If a key function is given, apply it once to each list item and sort them, ascending or descending, according to their function values.

The reverse flag can be set to sort in descending order.

class `swiftclient.utils.LengthWrapper`(*readable, length, md5=False*)

Wrap a filelike object with a maximum length.

Fix for <https://github.com/kennethreitz/requests/issues/1648>. It is recommended to use this class only on files opened in binary mode.

Parameters

- **readable** The filelike object to read from.
- **length** The maximum amount of content that can be read from the filelike object before it is simulated to be empty.
- **md5** Flag to enable calculating the MD5 of the content as it is read.

class `swiftclient.utils.ReadableToIterable`(*content, chunk_size=65536, md5=False*)

Wrap a filelike object and act as an iterator.

It is recommended to use this class only on files opened in binary mode. Due to the Unicode changes in Python 3, files are now opened using an encoding not suitable for use with the md5 class and because of this hit the exception on every call to next. This could cause problems, especially with large files and small chunk sizes.

Parameters

- **content** The filelike object that is yielded from.
- **chunk_size** The max size of each yielded item.
- **md5** Flag to enable calculating the MD5 of the content as it is yielded.

`swiftclient.utils.config_true_value`(*value*)

Returns True if the value is either True or a string in TRUE_VALUES. Returns False otherwise. This function comes from `swift.common.utils.config_true_value()`

`swiftclient.utils.generate_temp_url`(*path, seconds, key, method, absolute=False, prefix=False, iso8601=False, ip_range=None, digest='sha256'*)

Generates a temporary URL that gives unauthenticated access to the Swift object.

Parameters

- **path** The full path to the Swift object or prefix if a prefix-based temporary URL should be generated. Example: `/v1/AUTH_account/c/o` or `/v1/AUTH_account/c/prefix`.
- **seconds** time in seconds or ISO 8601 timestamp. If absolute is False and this is the string representation of an integer, then this specifies the amount of time in seconds for which the temporary URL will be valid. This may include a suffix to scale the value: s for seconds, m (or min) for minutes, h (or hr) for hours, or d for days. If absolute is True then this specifies an absolute time at which the temporary URL will expire.
- **key** The secret temporary URL key set on the Swift cluster. To set a key, run `swift post -m Temp-URL-Key: <substitute tempurl key here>`
- **method** A HTTP method, typically either GET or PUT, to allow for this temporary URL.

- **absolute** if True then the seconds parameter is interpreted as a Unix timestamp, if seconds represents an integer.
- **prefix** if True then a prefix-based temporary URL will be generated.
- **iso8601** if True, a URL containing an ISO 8601 UTC timestamp instead of a UNIX timestamp will be created.
- **ip_range** if a valid ip range, restricts the temporary URL to the range of ips.
- **digest** digest algorithm to use. Must be one of sha1, sha256, or sha512.

Raises

ValueError if timestamp or path is not in valid format, or if digest is not one of sha1, sha256, or sha512.

Returns

the path portion of a temporary URL

`swiftclient.utils.prt_bytes(num_bytes, human_flag)`

convert a number > 1024 to printable format, either in 4 char -h format as with ls -lh or return as 12 char right justified string

`swiftclient.utils.report_traceback()`

Reports a timestamp and full traceback for a given exception.

Returns

Full traceback and timestamp.

INDICES AND TABLES

- genindex
- modindex
- search

LICENSE

Copyright 2013 OpenStack, LLC.

Licensed under the Apache License, Version 2.0 (the License); you may not use this file except in compliance with the License. You may obtain a copy of the License at

- <http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an AS IS BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

PYTHON MODULE INDEX

S

- swiftclient, 41
- swiftclient.authv1, 41
- swiftclient.client, 51
- swiftclient.exceptions, 68
- swiftclient.multithreading, 69
- swiftclient.service, 62
- swiftclient.utils, 69

A

`access_class` (*swift-client.authv1.PasswordPlugin* attribute), 43

`AccessInfoV1` (class in *swiftclient.authv1*), 41

`append()` (*swiftclient.utils.JSONableIterable* method), 69

`available` (*swiftclient.authv1.PasswordLoader* property), 42

C

`capabilities()` (*swift-client.service.SwiftService* method), 63

`clear()` (*swiftclient.client.LowerKeyCaseInsensitiveDict* method), 53

`clear()` (*swiftclient.utils.JSONableIterable* method), 69

`ClientException`, 68

`config_true_value()` (in module *swift-client.utils*), 70

`Connection` (class in *swiftclient.client*), 51

`copy()` (*swiftclient.service.SwiftService* method), 63

`copy()` (*swiftclient.utils.JSONableIterable* method), 69

`copy_object()` (in module *swiftclient.client*), 53

`copy_object()` (*swiftclient.client.Connection* method), 52

`count()` (*swiftclient.utils.JSONableIterable* method), 69

`create_plugin()` (*swift-client.authv1.PasswordLoader* method), 42

D

`delete()` (*swiftclient.service.SwiftService* method), 64

`delete_container()` (in module *swift-client.client*), 54

`delete_container()` (*swift-client.client.Connection* method), 52

`delete_object()` (in module *swiftclient.client*), 54

`delete_object()` (*swiftclient.client.Connection* method), 52

`download()` (*swiftclient.service.SwiftService* method), 65

E

`encode_meta_headers()` (in module *swift-client.client*), 55

`extend()` (*swiftclient.utils.JSONableIterable* method), 69

F

`from_state()` (*swiftclient.authv1.AccessInfoV1* class method), 41

G

`generate_temp_url()` (in module *swift-client.utils*), 70

`get()` (*swiftclient.client.LowerKeyCaseInsensitiveDict* method), 53

`get_access()` (*swift-client.authv1.PasswordPlugin* method), 43

`get_account()` (in module *swiftclient.client*), 55

`get_account()` (*swiftclient.client.Connection* method), 52

`get_all_version_data()` (*swift-client.authv1.PasswordPlugin* method), 43

`get_api_major_version()` (*swift-client.authv1.PasswordPlugin* method), 44

`get_auth()` (in module *swiftclient.client*), 55

`get_auth_keystone()` (in module *swift-client.client*), 56

`get_auth_ref()` (*swift-client.authv1.PasswordPlugin* method), 46

- `get_auth_state()` (*swift-client.authv1.PasswordPlugin* method), 46
- `get_auth_state()` (*swift-client.authv1.PasswordPlugin* method), 50
- `get_cache_id()` (*swift-client.authv1.PasswordPlugin* method), 46
- `get_cache_id_elements()` (*swift-client.authv1.PasswordPlugin* method), 46
- `get_capabilities()` (*in module swift-client.client*), 56
- `get_conn()` (*in module swiftclient.service*), 68
- `get_connection_params()` (*swift-client.authv1.PasswordPlugin* method), 46
- `get_container()` (*in module swiftclient.client*), 56
- `get_container()` (*swiftclient.client.Connection* method), 52
- `get_discovery()` (*swift-client.authv1.PasswordPlugin* method), 47
- `get_endpoint()` (*swift-client.authv1.PasswordPlugin* method), 47
- `get_endpoint_data()` (*swift-client.authv1.PasswordPlugin* method), 47
- `get_headers()` (*swift-client.authv1.PasswordPlugin* method), 48
- `get_object()` (*in module swiftclient.client*), 57
- `get_object()` (*swiftclient.client.Connection* method), 52
- `get_options()` (*swift-client.authv1.PasswordLoader* method), 42
- `get_project_id()` (*swift-client.authv1.PasswordPlugin* method), 49
- `get_sp_auth_url()` (*swift-client.authv1.PasswordPlugin* method), 49
- `get_sp_url()` (*swift-client.authv1.PasswordPlugin* method), 49
- `get_state()` (*swiftclient.authv1.AccessInfoV1* method), 41
- `get_token()` (*swiftclient.authv1.PasswordPlugin* method), 50
- `get_user_id()` (*swift-*
- client.authv1.PasswordPlugin* method), 50
- ## H
- `head_account()` (*in module swiftclient.client*), 57
- `head_account()` (*swiftclient.client.Connection* method), 52
- `head_container()` (*in module swiftclient.client*), 58
- `head_container()` (*swift-client.client.Connection* method), 52
- `head_object()` (*in module swiftclient.client*), 58
- `head_object()` (*swiftclient.client.Connection* method), 52
- `http_connection()` (*in module swift-client.client*), 59
- ## I
- `index()` (*swiftclient.utils.JSONableIterable* method), 69
- `insert()` (*swiftclient.utils.JSONableIterable* method), 69
- `invalidate()` (*swift-client.authv1.PasswordPlugin* method), 50
- `items()` (*swiftclient.client.LowerKeyCaseInsensitiveDict* method), 53
- ## J
- `JSONableIterable` (*class in swiftclient.utils*), 69
- ## K
- `keys()` (*swiftclient.client.LowerKeyCaseInsensitiveDict* method), 53
- ## L
- `LengthWrapper` (*class in swiftclient.utils*), 69
- `list()` (*swiftclient.service.SwiftService* method), 65
- `load_from_options()` (*swift-client.authv1.PasswordLoader* method), 42
- `load_from_options_getter()` (*swift-client.authv1.PasswordLoader* method), 42
- `LOGGER_SENSITIVE_HEADERS` (*in module swift-client.client*), 53
- `logger_settings` (*in module swiftclient.client*), 59

- `lower_items()` (*swift-client.client.LowerKeyCaseInsensitiveDict* method), 53
- `LowerKeyCaseInsensitiveDict` (*class in swift-client.client*), 53
- ## M
- module
- `swiftclient`, 41
 - `swiftclient.authv1`, 41
 - `swiftclient.client`, 51
 - `swiftclient.exceptions`, 68
 - `swiftclient.multithreading`, 69
 - `swiftclient.service`, 62
 - `swiftclient.utils`, 69
- ## P
- `PasswordLoader` (*class in swiftclient.authv1*), 42
- `PasswordPlugin` (*class in swiftclient.authv1*), 43
- `plugin_class` (*swift-client.authv1.PasswordLoader* attribute), 42
- `pop()` (*swiftclient.client.LowerKeyCaseInsensitiveDict* method), 53
- `pop()` (*swiftclient.utils.JSONableIterable* method), 69
- `popitem()` (*swift-client.client.LowerKeyCaseInsensitiveDict* method), 53
- `post()` (*swiftclient.service.SwiftService* method), 66
- `post_account()` (*in module swiftclient.client*), 59
- `post_account()` (*swiftclient.client.Connection* method), 52
- `post_container()` (*in module swiftclient.client*), 59
- `post_container()` (*swift-client.client.Connection* method), 52
- `post_object()` (*in module swiftclient.client*), 60
- `post_object()` (*swiftclient.client.Connection* method), 52
- `prt_bytes()` (*in module swiftclient.utils*), 71
- `put_container()` (*in module swiftclient.client*), 60
- `put_container()` (*swiftclient.client.Connection* method), 52
- `put_object()` (*in module swiftclient.client*), 61
- `put_object()` (*swiftclient.client.Connection* method), 53
- ## R
- `ReadableToIterable` (*class in swiftclient.utils*), 70
- `remove()` (*swiftclient.utils.JSONableIterable* method), 69
- `report_traceback()` (*in module swift-client.utils*), 71
- `reverse()` (*swiftclient.utils.JSONableIterable* method), 69
- ## S
- `safe_value()` (*in module swiftclient.client*), 62
- `scrub_headers()` (*in module swiftclient.client*), 62
- `set_auth_state()` (*swift-client.authv1.PasswordPlugin* method), 50
- `setdefault()` (*swift-client.client.LowerKeyCaseInsensitiveDict* method), 53
- `sort()` (*swiftclient.utils.JSONableIterable* method), 69
- `split_headers()` (*in module swift-client.service*), 68
- `stat()` (*swiftclient.service.SwiftService* method), 66
- `store_response()` (*in module swiftclient.client*), 62
- `swiftclient`
- module, 41
 - `swiftclient.authv1` module, 41
 - `swiftclient.client` module, 51
 - `swiftclient.exceptions` module, 68
 - `swiftclient.multithreading` module, 69
 - `swiftclient.service` module, 62
 - `swiftclient.utils` module, 69
- `SwiftCopyObject` (*class in swiftclient.service*), 62
- `SwiftDeleteObject` (*class in swift-client.service*), 62
- `SwiftError`, 62
- `SwiftPostObject` (*class in swiftclient.service*), 63
- `SwiftService` (*class in swiftclient.service*), 63

SwiftUploadObject (class in *swift-client.service*), 68

U

update() (swift-client.client.LowerKeyCaseInsensitiveDict method), 53

upload() (swiftclient.service.SwiftService method), 67

V

values() (swift-client.client.LowerKeyCaseInsensitiveDict method), 53

W

will_expire_soon() (swift-client.authv1.AccessInfoV1 method), 41

with_traceback() (swift-client.exceptions.ClientException method), 68

with_traceback() (swift-client.service.SwiftError method), 62